	, ,	Rece	iving Rep	ort		
	Pate:	Calth		, ch No: <u>///</u> P/O:/	<u> 17288</u> 3762	-
Packing Slip: Invoice: Receipt: Discrepancies	Yes No Yes No Cr	y S	Release Note A Vaybill Attache Chipment Com CG Inspection Vork Order	ed: Y plete: Y	es Nes N	$\circ \overline{\nu}$ —
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
V	M.P. v. Pu	UNG	2-0			
			·			
		đ., ,				
	•	Initials	of receiver (	if shipment (	OK) Level	12
Production/Adr Date Received/Cost Initial	11/4/4	* <b>,</b> *			Locatio	on

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

# **Purchase Order Receipt Listing**

Thursday, April 07, 2011 9:03:30 AM

All amounts are calculated in domestic currency.

All Vendors PO ID po13762 All Receipt Dates All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Ver	dor Nam	e VC-0	COP001 Thyssen	ikrupp Materials CA Ltd	1						
PO13762	1		M6061T6A4.000W.2		4/8/2011	4/4/2011	20.0000	\$4.95	0.0000	0	\$98.90
CAD	No		6061T6 ANGLE 4.00 x 4.00 x .250 117285	f	20.0000	DESJ02	·	\$98.90	0.0000	0	
	3	100	M6061T6S.080	sf .	4/8/2011	4/4/2011	336.0000	\$3.41	0.0000	0	\$1,146.00
	No		6061-T6 .080 Sheet 117285	sf	336.0000	DESJ02		\$1,146.00	0.0000	0	
	4		M6061T6S.063	sf	4/8/2011	4/4/2011	336.0000	\$2.70	0.0000	0	\$905.99
	No		6061-T6 .063 Sheet 117285	sf	336.0000	DESJ02		\$905.99	0.0000	0	·
	5		M304S25GA	sf	4/8/2011	4/4/2011	32.0000	\$2.68	0.0000	0	\$85.79
	No		304/316 .020" Sheet 117285	sf	32.0000	DESJ02		\$85.79	0.0000	0	
									Total Received C	Quantity:	724.0000
								Total	Qty to Inspect (P	O U/M):	0.0000
									Total Reject C	Quantity:	0.0000
									Total Receip	ot Value:	\$2,236.68
								То	tal Balance Due Ç	Quantity:	0.0000

No: PEC 704369 LADING віць Ship Date 04Aprll at 17:38 From PFW Ship From: Probill THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 VIM TRANSFER TRUCK Via FOB CONCORD Tel: 905 669 9444 Fax: 9057389033 Frt PREPAID Route 0- 0 Manifest Trailer Vhcle Slp STAN IVERS (905-532-1350) Ship To: (
DART AEROSPACE Sold To: (20115) DART AEROSPACE 1270 ABERDEEN ST 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7 HAWKESBURY, ON K6A 1K7 Tel: 613-632-9577 Fax: 613-632-1053 BILL OF LADING m 1) Our Order PEC-317293- 1 Your PO # 13762 ALUMINUM ANGLE 6061-T6511 4.00" x 4.00" x 250" X 240.0000" Quantity PCS
20 FT 1 Heat Number Tag No Wt LBS 180083 2) Our Order PEC-317293- 2 Your PO # 13762 ALUMINUM SHEET 6061 T6 .0810 Nom X 48.0000" X 144.0000" Heat Number Tag No Quantity PCS · Wt LBS 180255 336.00 SFT 422402 3) Our Order PEC-317293- 3 Your PO # 13762 ALUMINUM SHEET 6061 T6 .0640 Nom X 48.0000" X 144.0000" Heat Number Tag No Quantity Wt LBS 432302 180256 336.00 SFT 301 4) Our Order PEC-317293- 4 Your PO # 13762 Part # OFFERING .025" Rel # STAINLESS STEEL SHEET 304-2B .0250 Nom X 48.0000" X 96.0000" Heat Number Tag No. Y<u>0162639</u> 180283 Quantity Wt LBS 32.00 SFT PCS LBS TOTAL: 16 765 \*\*\* Chemical Analysis \*\*\* Heat Number 12468 Page: 1 ....Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.

MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

LADING No: PEC 704369 O F Ship Date 04Aprll at 17:38 From PFW Ship From: Probill THYSSENKRUPP MATERIALS NA VIM TRANSFER TRUCK Via 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 CONCORD FOB Tel: 905 669 9444 Fax: 9057389033 Frt PREPAID Route 0- 0 Manifest Vhcle Trailer STAN IVERS (905-532-1350) Slp Sold To: Ship To: (20115)DART AEROSPACE DART AEROSPACE L A D I N G O F BILL 422402 432302 YU162639 MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING. ATTN: CHANTAL/LINDA \*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\* \*\* REFERENCED ON IT \*\* TOTAL 1 BDL, 2 SKIDS GW. 928 LBS

ITEM (1) BDL, (2,3) SKID, (4) SKID.

I cretes / planche

Page: 2 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

DATE

LADING No: PEC 704369 Ship Date 04Aprll at 17:38 From PFW Ship From: THYŠSENKRUPP MATERIALS NA Probill Via VIM TRANSFER TRUCK 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 FOB CONCORD Tel: 905 669 9444 Fax: (9057389033 Frt PREPAID Route 0- 0 Manifest Vhcle Trailer STAN IVERS (905-532-1350) Slp Ship To: Sold To: (20115) DART AEROSPACE DART AEROSPACE \_\_\_\_\_\_\_ LADING BILL 0 F 422402 432302 YU162639 MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING. ATTN: CHANTAL/LINDA. \*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\* \*\* REFERENCED (ON IT \*\* 1/) TOTAL 1 BDL, 2 SKIDS GW. 928 LBS ITEM (1) BDL, (2,3) SKID, (4) SKID. \*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\*\* TEL. 800-926-2600 \*\*\*\*
\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* WE STOCK STAINLESS STEEL PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*\*\*\*\*\*\*\*\*\* \*\*\*PLEASE NOTE A \$20.00 ENERGY SURCHARGE WILL BE ADDED TO EVERY ORDER. \*\*\* Page: 2 ..., /Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM ANGLE 6061-T6511 4.00" x 4.00" x .250" X 240.0000" PART NO.

#### PO/Rel 13762

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

cate of N	

BL PEC-704369-001

4Apr11 Pg 1/1



TEL: (416)745-4444 FAX:(416)745-0925 1-800-668-7210 411 CHRISLEA ROAD, WOODBRIDGE, ONTARIO, CANADA L4L 8N4 http://www.extrudex.com

Signed by:

### MILL TEST REPORT

BILL TO	1773 Cert Code:		DIE NUMBER		DATE OF SHIPMENT	EXTRUDEX ORDER NO.	MANIFEST NO.
THYSSENKRUPP MATERIALS,NA	1	0.24	S	22440	2/22/2011	494959 4	241972
SHIP TO	1773 CUSTOMER PO		ALLOY	TEMPER	SALESMAN	<del> </del>	2419/2
THYSSENKRUPP MATERIALS.NA		227952	6061	T6511	FRED PARKIN		
SO DESCRIPTION	CUSTOMER PART	NUMBER	PART DESC	MODON		CERTIFICATION	
4"x.250" RF AN						MILL TEST ASTM B22	.1

Lot	Alloy	Test No.	Test Date	Ultimate Tensile Strength (KSI)	Yield Strength (KSI)	Percent Elongation	<u>Hardness</u>	Conductivity
A.11	6061	12695	Feb/17/11	42.8	39.8	14.30	89.9, 89.3, 89.0	

#### **Chemical Composition**

Cast/Number
A.11 12468 6061

David Natale

Quality Control Manager

MILL TEST REPORT

1 - CUSTOMER COPY

# THYSSENKRUPP MATTERIALS NA

DART AEROSPACE

ALUMINUM SHEET 6661 T6 .0640 Nom X 48.0000" X 144.0000" PART NO.

PO/Rel 13762

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

**Certificate of Mill Test Results** 

BL PEC-704369-003

Pg 1/2

**CERTIFIED INSPECTION REPORT** 

Alcoa Inc.

1196202 Ship Date PITTSBURGH, PA

Signed by:

Invoice No.

00000

Customer

**DAVENPORT WORKS** 

Ship From: Alcoa No. Item

RIVERDALE, IA.

We hereby certify that the metaried covered by this combinate has been inspected with, and has been found to meet, the applicable requirements described therein, including any specifications forming a part of the describion and hat samples representative of the material met the composition limbs and had the mechanical properties shown on the face of this sheet. Per:

Director of Manufacturing De

Quality Assurance Mana

2010-12-31 5528198 P.O. No./Govt Contract No. 5400077955 Ln#: 0020 1000238877-2 Alcoa Item

Page DS-38877-2

COPPER & BRASS SAL GO41090059R10

Ship To: COPPER & BRASS SALES INC CRANBERRY IND PARK

102 PARK RD

CRANBERRY TOWNSHIP 16066 PA

Item Description

0.063 IN TK (+0.0000 -.0035) X 48.0 IN W (+.125 -1125) X 144.0 IN LN (+.15625 -.15625) CAT X 063551-6 (N) A/T 6061-

TE FLAT SHEET FOR DISTRIBUTORS TOLERANCE

GUARANTEED ALFLR02640. AMS4027 REV N EXC MRK

ASTMB209 REV 07 ((MARKED)) KRAFT PAPER INTERLEAVED MAX GROSS

SKID WGT: 4000 LB QUAN TOL +/-20 %

CQR 0206655 REV 10 CUST REQ 10-12-

01 \*\*\* W/R 10-12-04 \*\*\*

Num	Package Ticket	Lot	Weight	Quantity	UON	Inspector Clock Numbers
1	257600 //	432302	3604	88	PC	27740 47307
2	257602	432302	3606	88	PC	27740 47307
3	257619	432302	2691	66	PC	27740 47307
4	257626	432302	3604	88	PC	27740 47307
5	257636	432302	3639	89	PC	27740 47307
			17144	419		•

Notes for CQR: 0206655.10

PRODUCT PRODUCED TO THE REQUIREMENTS OF AMS4027 REV N ALSO MEET THE REQUIREMENTS OF AMS-QQ-A-250\_11 ORIGINAL REVISIO N DATED 1997-08-01.

CQR: 0206655.10 -Specification Limits -----

UTS TYS EL4D Tmpr Dir KSI KSI PCT Long Transv.

Min 42.0 35.0 10

Other Other Chemical Composition FE CU MN MG CR ZN TI Each Total Aluminum

0.8 0.7 0.40 0.15 1.2 0.35 0.25 0.15 0.05 0.15

Alley 6061 Min 0.40 0.15 0.8 0.04 REMAIN

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM SHEET 6661 T6 .0640 Nom X 48.0000" X 144.0000" PART NO. PO/Rel 13762

We centry that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs. **Certificate of Mill Test Results** 

BL PEC-704369-003

4Apr11 Pg 2/2

**CERTIFIED INSPECTION REPORT** 

Alcoa Inc.

PITTSBURGH, PA

Signed by:

**DAVENPORT WORKS** 

Ship From:

RIVERDALB, IA.

We havely carlify that the material covered by this cardificate has been inspected with, and has been found to meet, the applications froming a part of the description and that emphasises requirements described therein, including any specifications froming a part of the description and that emphasises above of the material met the composition timits and had the materials properties shown on the face of this sheet, fig...

M. M.

Malcolm Murphy

Len P. Young

Quality Assurance Man

1196202 0 Ship Date B.L. No. Invoice No. Alcos No. Item Page 2
2010-12-31 5528198 00000 1000238877-2 DS-38877-2
P.O. No./Govt Contract No. Clastomer Alcoa Item

COPPER & BRASS SAL G041090059R10

5400077955 Ln#: 0020

No-> UTS EL4D TYS Tupr Dir Test KSI KSI PCT T6 Long Transv. 2 49.3 43.6 11.3 49.2 43.6 11.1

Cast Number Chemical - OES SI FE CU MN MG CR 2N TI H9831022 Actuals 0.61 0.4 0.26 0.06 0.9 0.18 0.02 0.02

This material was melted in the United States or a Qualifying Country [REF DFARS 225.872.1(a)]; it was manufactured in the United States

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM SHEET 6061 T6 .0810 Nom X 48.0000" X 144.0000" PART NO.

#### PO/Rel 13762

We certify that this is a true copy of the report: furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-704369-002

Pg 1/2

Signed by:

#### **CERTIFIED INSPECTION REPORT**

#### Alcoa Inc.

PITTSBURGH, PA DAVENPORT WORKS

Ship From:

RIVERDALE, IA.

We introby certify that the material covered by this certificate has been inspected with, and has been found to meet, the applicable requirements described therein, including any specifications forming a part of the description and that samples representative of the material met the composition finite and had the material properties shown on the face of this street. 1187125 Ship Date

2010-11-30 5444233 Alcoa No. Item 1000238873-4

Page DS-38873-4

P.O. No./Govt Contract No. 5400077954 Jan#: 0040 Customer

00000

Alcoa Item

COPPER & BRASS SAL G041099578R05

Director of Manufacturing Davenport World

Quality Assurance Manager

Ship To: COPPER & BRASS SALES INC 415 STATE PARKWAY SCHAUMBURG 60195 IL

Item Description

0 38 IN TK (+0.0000 -.0045) X 48.0 IN W (+.125 -

.125) X 144.0 IN LN (+.15625 -.15635) CAT X 063567-2 (N) A/T 6061-T6 FLAT SHEET FOR DISTRIBUTORS TOLERANCE

GUARANTEED ALFLR01650. AMS4027 REV N EXC\_MRK ASTMB209 REV 07 ((MARKED)) KRAFT PAPER

INTERLEAVED MAX GROSS

SKID WGT: 4000 LB QUAN TOL +/-30 & CQR 0214533 REV 05 CUST REQ 10-11-

24 \*\*\* W/E 10-11-27 \*\*\*

Num	Package Ticke	<u></u>	Lot	\
1	256111	IJ	422402	7
2	256114	γ	422402	1
3	256127		422402	- }
4	256129		422402	
				/

Weight	Quantity	UOM	Inspector Clock Numbers
3571	69	PC	27740 47114
3581	69	PC	27740 47114
1665	32	PC	27740 47114
3579	69	PC	27740 47114
12396	239		

Notes for CQR: 0214533.5

PRODUCT PRODUCED TO THE REQUIREMENTS OF AMS4027 REV N ALSO MEET THE REQUIREMENTS OF AMS-QQ-A-250\_11 ORIGINAL REVISIO N DATED

CQR: 0214533.5 -Specification Limits

Tupr Dir Long Transv.

TYS **RL40** KSI KSI PCT

Max Min 42.0

Chemical Composition

35.0 10

Other Other SI FE CU MN MG CR ZN TI Each Total Aluminum

Alloy 6061

Max 0.8 0.7 0.40 0.15 1.2 0.35 0.25 0.15 0.05 0 15 Min 0.40 0.15 0.8 0.04

# YSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM SHEET 6661 T6 .0810 Nom X 48.0000" X 144.0000" PART NO.

. . 1

Lot: 422402

#### PO/Rel 13762

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

 	 	Mill T	and the second second	
 	 	. (3. / 1		
				4611116

BL PEC-704369-002

4Apr11 Pg 2/2

CERTIFIED INSPECTION REPORT

Malcoha Murphy

Director of Manufecturing Devenpor: Works

Alcoa Inc.

PITTSBURGH, PA

**DAVENPORT WORKS** 

Ship From:

RIVERDALE, IA.

1187125 Ship Date Alcoa No. Item Invoice No. 00000 2010-11-30 5444233 1000236873-4 Customer

Signed by:

Alcca Item

DS-38873-4

Page

P.O. No./Govt Contract No.

5400077954 Ln#: 0040 COPPER & BRASS SAL G041099578R05

CQR: 0214533.5 -Specification Limits (cont.) -----

Kenton P. Young

Quality Assurance Manage

No-> UTS TYS EL4D Impr Dir KSI KEI Test PCT T6 Long Transv. 50.1 44.4 10.6 49.9 44.2 10.7

The many version are measured by this cartificate has been inspected with, and has been found to meet, the applicable requirements described therein, including any specifications forming a part of the description and that sumples representative of the material met the composition firsts and had the mechanical properties shown on the face of this sheet.

Per: We hereby certify that the material covered by this certificate has been inspected with, and has been found to meet, the

Cast Number Chemical - OES SI PE CU MN MG CR H9830092 Actuals 0.63 0.4 0.24 0.06 0.9 0.19 0.02 0.02

This material was melted in the United States or a Qualifying Country (REF DFARS 225.872.1(a)); it was manufactured in the United States

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

STAINLESS STEEL SHEET 304-28 .0250 Nom X 48.0000" X 96.0000" PART NO. OFFERING .025\*

PO/Rel 13762

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs. BL PEC-704369-004

**Certificate of Mill Test Results** 

4Apr11

Pg 1/1

# YIEH MAU CORP.

MILL TEST CERTIFICATES

Signed by:

INVOICE NO. : сомминту :

F10M927-1


PRIME COLD ROLLED STAINLESS STEEL SHEET

945, SHUN AN RU LIFCHU FISIANG KAOMSIUNG PISIEN TAIWAN R OA TELEOT/6072865 FAXAG/6974006 CERUINI

SIZE   MI.   Weight   Heat Mo.   10 MO.     Fibproal Properties   Tensile Test	SPECIFICATION CUSTOMER :	Alsi:	304 ASTM ERT MET	AZ10/A41	60 and ASM	E SA240/SA480		<b>O</b> \	Ó Z							T)- ("2	laurige Ruisen	728965 F	er talm Utanan	
Color   Colo	Size	]			1			Ph	yxecul Pr	mperties							נן שני יני וי	SSUE 10	KISVZ11](	,
Column   C	307,0	NO.	IN.	.W.}	licat No.	10 NO.	1		Tensile	7es		ì			Ch	maca) (	WINDAM		¬·-·-	
SOURCE   1   1,628   3,589   YU162009   96841507C-11   313   674   53   87   179   4.6   52   119   37   3   806   1804   2.7			VER		-{		188	1						7		<u>جڙيا ر</u> ي۔	1			
110A X 48 X 120		f	N. K.S	LRS	<b></b>				J EL		: 111	: T	1 .	1	1 .	1	1		``T :	
TIGA X 48" X 120"   1   1,625   3,658   YU 182009   96881657C-12   313   634   63   87   179   4.6   52   119   37   3   806   104   2.7	13GA X 48" X 120"	1 1	1628	2 2 11/1	1		5	1 (04.3 (841.)	410	┦	_i	x ba		1	' '			1 4	N	- 1
16GA X 48" X 190"   1   1,710   3,770   VI   162159   98581567C-12   313   654   653   87   179   4,6   52   119   37   3   806   1804   2,7   18GA X 48" X 120"   1   1,665   3,671   VI   VI   VI   VI   VI   VI   VI   V	11GA X 48" X 120"			0,500	YU162009	96561567C-11	312	654	1		1	7	1-11-1	7112	十.400	P) CHE	21 2 114	1 10		.,
BGAX 48" X 120"   1   1,065   3,671   YU162159   9886092813.3   298   624   57   79   152   5.1   46   109   36   3   806   1804   2.7	16GA X 48" X 96"	1 1		3,309	YU162009	96863567C.12	919						52	1 110	1	1		1-11-11		<del>"- </del>
18GA X 48" X 120"   1   1,350   2,976   YU257404   98\(\sh{6}\sh{1}\sh{6}\sh{1}\sh{6}\sh{3}\sh{7}\sh{9}\\ \sh{1}\sh{5}\sh{1}\sh{1}\sh{5}\sh{1}\sh{1}\sh{5}\sh{1}	15GA X 48" X 120"	ltí		3,170	10162515	9886609280.4	Jena												1 1 27	. 1
18GA X 48" X 120"   1   1338   2,950   YU257404   98\6140318-7   255   657   55   85   172   4.6   51   125   36   6   811   1810   2.5	18GA X 48" X 120"	1 1		2 07c	VI 162159	96S62953A.2	2019					5.1	1				806	160		
1	18GA X 48" X 120"	† !		2050	10207404	988461403B-6	2015					5	524				1904	LXZ		1
20GA X 48" X 120" 1 1,583 3,459 YU267562 98362959BA-3 315 672 56 86 176 4.3 48 114 37 1 825 3.4 20GA X 60" X 120" 1 1,630 3,594 YU267562 98362959BA-3 315 672 56 86 176 4.3 48 114 37 1 825 3.4 20GA X 60" X 120" 1 1,630 3,594 YU161329 98365697B-2231 292 629 54 84 188 5.1 41 188 37 1 825 3.4 22GA X 68" X 120" 1 1,630 3,594 YU161329 98355697B-2231 292 629 54 84 188 5.1 41 188 37 6 809 1818 2,5 1 22GA X 68" X 120" 1 1,630 3,694 YU161329 98355697B-2231 292 629 54 84 188 5.1 41 188 37 6 809 1818 2,5 1 22GA X 68" X 120" 1 1,336 2,945 YU162069 9836588A-3 291 639 55 85 170 4.3 49 122 37 4 806 1817 2.3 22GA X 48" X 120" 1 1,338 2,945 YU267166 9835698B-2 291 639 55 85 170 4.3 49 122 37 4 806 1817 2.3 22GA X 48" X 120" 1 1,338 2,945 YU267166 98359278B-2 291 639 55 85 170 4.3 49 122 37 4 806 1817 2.3 22GA X 48" X 120" 1 1,338 2,945 YU267166 98359278B-2 291 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 11GA X 48" X 120" 1 1,630 3,594 YU162009 98361567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1801 2.2 11GA X 48" X 120" 1 1,630 3,594 YU162009 98361567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1801 2.7 16GA X 48" X 120" 1 1,690 3,796 YU162009 98361567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,690 3,796 YU162009 98361567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,690 3,796 YU162009 98361567B-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,690 3,796 YU162009 98361567B-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,690 3,796 YU162009 98361567B-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,690 3,796 YU162009 98361567B-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,690 3,796 YU162009 98361567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,690 3,796 YU162009 98361567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 1804 X 120" 1 1,690 3,796 YU162009 98361567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 1804 X 120" 1 1,690 3,796 YU1620	18GA X 48" X 120"	1 1		2041	VIII.	9686140318-7	295					1.6					HU5	1813		J
20GA X 60" X 120" 1 1.583 3,490 YU257562 98S62599BA.5 315 672 56 86 176 4.3 48 114 37 1 882 29 20GA X 60" X 120" 1 1.630 3,594 YU161329 98S6259BB.231 292 672 58 86 176 4.3 48 114 37 1 885 1825 3.4 22GA X 48" X 120" 1 1.630 3,594 YU161329 98S56259BA.3 315 672 58 86 176 4.3 48 114 37 1 885 1825 3.4 22GA X 48" X 120" 1 1.630 3,594 YU161329 98S56259BA.3 291 673 55 85 170 4.3 49 112 37 6 809 1818 2.5 22GA X 48" X 120" 1 1.336 2,945 YU257166 98S6588A.3 291 673 55 85 170 4.3 49 122 37 4 806 1897 2.3 24GA X 48" X 120" 1 1.338 2,945 YU257166 98S6927BB.2 281 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 24GA X 48" X 120" 1 1.338 2,950 YU257166 98S85278B.2 281 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 11GA X 48" X 120" 1 1.631 3,596 YU162009 98S61567B-112 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 11GA X 48" X 120" 1 1.630 3,726 YU162009 98S61567B-112 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1.630 3,726 YU162009 98S61567B-113 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1.630 3,726 YU162009 98S61567B-113 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1.630 3,726 YU162009 98S61567B-113 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1.630 3,726 YU162009 98S61567B-113 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1.630 3,726 YU162009 98S61567B-113 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1.630 3,726 YU162009 98S61567B-113 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1.630 3,726 YU162009 98S61567B-113 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1.630 3,726 YU162009 98S61567B-113 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1.630 3,726 YU162009 98S61567B-113 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1.630 3,736 YU162009 98S61567B-113 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1.630 3,736 YU162009 98S61567B-113 313 654 58 87 179 4.6 52 119 37 3 806 1804 2.7 1804 2.7 1804 2.7 1804	ZUCA X 18" X 96"	ı		3.450	VI 102157	97.863036B. (	308					4.6 j	51					1830		1
20CA X 60" X 120" 1 1,630 3,594 VU161329 SSSS6697B-2221 292 629 54 84 168 5.1 41 118 37 1 815 1825 3.4 1826 3.594 VU161329 SSSS6697B-2222 292 629 54 84 168 5.1 41 118 37 1 815 1825 3.4 1826 3.594 VU161329 SSSS6697B-2222 292 629 54 84 168 5.1 41 118 37 1 815 1825 3.4 1826 3.594 VU161329 SSSS6697B-2222 292 629 54 84 188 5.1 41 118 37 1 815 1825 3.4 1826 3.594 VU161329 SSSS6697B-2221 292 629 54 84 188 5.1 41 118 37 1 815 1825 3.4 1826 3.594 VU161329 SSSS6697B-2221 292 629 54 84 188 5.1 41 118 37 1 815 1825 3.4 1826 3.594 VU161329 SSSS6697B-2221 292 629 54 84 188 5.1 41 118 37 1 815 1825 3.4 1826 3.594 VU161329 SSS6697B-2231 291 639 55 85 170 4.3 49 122 37 4 806 1817 2.3 1826 3.594 VU161329 SSS6697B-1 291 616 54 86 176 1.6 97 144 34 9 801 1821 3.2 1826 3.594 VU161329 SSS6697B-1 313 11 654 54 86 176 1.6 97 144 34 9 801 1821 3.2 1826 3.594 VU162009 SS861567B-1 313 654 53 87 179 4.6 52 119 37 3 806 1814 2.7 1826 3.594 VU162009 SS661567B-1 313 654 53 87 179 4.6 52 119 37 3 806 1814 2.7 1826 3.594 VU162009 SS661567B-1 313 654 53 87 179 4.6 52 119 37 3 806 1814 2.7 1826 3.594 VU162009 SS661567B-1 313 654 53 87 179 4.6 52 119 37 3 806 1814 2.7 1826 3.594 VU162009 SS661567B-1 313 654 53 87 179 4.6 52 119 37 3 806 1814 2.7 1826 3.594 VU162009 SS661567B-1 313 654 53 87 179 4.6 52 119 37 3 806 1814 2.7 1826 3.594 VU162009 SS661567B-1 313 654 53 87 179 4.6 52 119 37 3 806 1814 2.7 1826 3.594 VU16209 SS66094A-1 2 882 662 56 82 160 4.4 47 119 32 10 804 1817 2.5 1826 3.594 VU162009 SS66094A-1 2 882 662 56 82 160 4.4 47 119 32 10 804 1817 2.5 1826 3.594 VU162009 SS66094A-1 2 882 662 56 82 160 4.4 47 119 32 10 804 1817 2.5 1826 3.594 VU162009 SS66094A-1 2 882 662 56 82 160 4.4 47 119 32 10 804 1817 2.5 1826 3.594 VU162009 SS66094A-1 2 882 662 56 82 160 4.4 47 119 32 10 804 1817 2.5 1826 3.594 VU162009 SS660947B-1 2 88866747B-1 2 88866747B-	200 A X 48" X 120"	1		3.490	VI 14575 CO.	98S62959HA-5	315					1 1	1.1			7 -		1830		1
22G \ X 48" X 120" 1 1,650 3,644 \ \frac{11}{1032} \ \frac{3}{3} \ \frac{3}{3} \ \frac{11}{3} \ \frac{1}{3} \ \frac{1} \ \frac{1}{3} \ \frac{1} \ \frac{1} \ \frac{1} \ \frac{1}{3} \ \f	20074 X 60 X 150	1	1,630	3.594	VIII 61 200	96562959BA-3	315					1.3	-18			1 3		1822		ł
22GA X 48" X 120" 1 1,652 3,642 YU161154 95855838A-2 291 659 55 85 170 4.3 49 122 37 4 809 1818 2.5 24GA X 48" X 120" 1 1,336 2,945 YU257156 95859278B-1 281 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 304 NO.4 LASER 1 1,338 2,950 YU1527156 95859278B-2 281 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 11GA X 48" X 120" 1 1,631 3,596 YU162009 96861567B-112 313 654 53 87 179 4.6 52 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,630 3,726 YU162009 96861567B-123 313 654 53 87 179 4.6 52 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,630 3,726 YU162009 96861567B-133 313 654 53 87 179 4.6 52 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,630 3,726 YU162547 98866094A 11 282 662 56 82 160 4.4 47 119 32 10 804 1807 2.5 22GA X 48" X 120" 1 1,718 3,849 YU161311 95856839A-12 282 662 56 82 160 4.4 47 119 32 10 804 1807 2.5 22GA X 48" X 120" 1 1,718 3,849 YU162547 98866094A 11 282 662 56 82 160 4.4 47 119 32 10 804 1807 2.5 22GA X 48" X 120" 1 1,718 3,786 YU162547 98866094A 12 282 662 56 82 160 4.4 47 119 32 10 804 1807 2.5 22GA X 48" X 120" 1 1,718 3,786 YU162547 98866094A 13 282 662 56 82 160 4.4 47 119 32 10 804 1807 2.5 22GA X 48" X 120" 1 1,718 3,786 YU162547 98866094A 13 282 662 56 82 160 4.4 47 119 32 10 804 1807 2.5 22GA X 48" X 120" 1 1,718 3,786 YU162547 98866094A 13 282 662 56 82 160 4.4 47 119 32 10 804 1807 2.5 22GA X 48" X 120" 1 1,718 3,786 YU162547 98866094A 13 282 662 56 82 160 4.4 47 119 32 10 804 1807 2.5 22GA X 48" X 120" 1 1,718 3,786 YU162547 98866094A 13 282 662 56 82 160 4.4 47 119 32 10 804 1807 2.5 22GA X 48" X 120" 1 1,718 3,786 YU162547 98866094A 13 282 662 56 82 160 4.4 47 119 32 10 804 1807 2.5 22GA X 48" X 120" 1 1,718 3,786 YU162639 98866747B-18 298 685 55 86 174 4.8 49 192 17 11 804 1809 1.6 1809	20GA X 60° X 120°	1 /	1,630	3,594	VUIGION	SSS55697B-2221	292						-IN			1 !		1825		1
24GA X 48" X 120" 1 1.338	22C 3 V 497 3 4475			3.748	YUISIIS	***55697B.2222							41			1 :				i .
24GA X 46" X 120" 1 1.338	24C - V 400 V 4340	2		3,642	YUISI 154	34355838A-2							44							1
24CA X 48" X 120" 1 1.338	24G., V 485 X 120	1		2,915	Y11257154	90809838A.3		6:19					19			1 "			2.5	ı
304 NO.4 LASER 11GA X 48" X 96" 1 1.646 3.629 YU162009 96861567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 116GA X 48" X 120" 1 1.631 3.594 YU162009 96861567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1.630 3.594 YU162009 96861567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1.630 3.796 YU162009 96861567B-133 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1.600 3.726 YU162547 9886694A-11 282 662 56 82 160 4.4 47 119 32 10 804 1804 2.7 1804 1805 1804 1805 1804 1805 1806 1804 2.7 1805 1805 1805 1805 1805 1805 1805 1805	24CA Y 467 V 4074	1 1		2,945 /	YU257186	3:3:50:278B.1		616											2.3	1
11GA X 48" X 120" 1 1.6361 3.629 YU162009 96861567B-111 313 664 53 87 179 4.6 52 119 37 3 806 1804 2.7 11GA X 48" X 120" 1 1.630 3.594 YU162009 96861567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 11GCA X 48" X 120" 1 1.630 3.736 YU162009 96861567B-133 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 11GCA X 48" X 120" 1 1.630 3.736 YU162009 96861567B-133 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 11GCA X 48" X 120" 1 1.630 3.736 YU162547 98866094A-11 252 962 56 82 160 4.4 47 119 32 10 804 1817 2.5 120	304 NO 41 4070	3	1,388	2,950	YU257150	90205Z181F5		616						144					2.3	1
11GA X 48" X 120"   1	11/34 Y every our	. 1	- 1		ז	201003518873	281	ពីរថ	54					144	31					ŀ
11GA X 48" X 120" 1 1,630 3,594 YU162099 96861567B-112 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,630 3,736 YU162547 98866094A-11 282 662 56 82 160 4.4 47 119 37 3 806 1804 2.7 22GA X 48" X 96" 1 1,746 3,849 YU161311 9585639A-12 282 662 56 82 160 4.4 47 119 32 10 804 1804 2.7 24GA X 48" X 120" 1 1,718 3,786 YU161311 9585639A-12 282 662 56 82 160 4.4 47 119 32 10 804 1804 2.7 24GA X 48" X 120" 1 1,718 3,786 YU161311 9585639A-12 294 659 53 85 173 4.8 48 48 113 36 4 802 1822 2.4 24GA X 48" X 120" 1 1,538 3,538 YU162639 98866747B-15 228 685 55 86 174 4.8 49 122 37 11 804 1807 2.5 10 804 1807 2	HGA Y 48" Y 1900	1 1		3,629	YU 162009	Orige Level		- 1	í		174	1.6	37	144	34					}
16GA X 48" X 120" 1 1,630 3,594 VU162009 96861567B-133 313 654 53 87 179 4.6 52 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,680 3,726 VU162547 98866094A-11 282 962 56 82 160 4.4 47 119 32 10 804 1804 2.7 22GA X 48" X 120" 1 1,748 3,849 VU161311 95856094A-12 282 662 56 82 160 4.4 47 119 32 10 804 1804 2.7 22GA X 48" X 120" 1 1,718 3,786 VU161311 95856094A-12 294 659 53 85 173 4.8 48 13 36 4 802 1807 2.5 24GA X 48" X 120" 1 1,586 3,528 VU162639 98866747B-15 228 685 55 86 174 4.8 49 122 37 11 804 1807 2.5 2.4 2007 2.5 2.4 2007 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5	11GA Y 48" Y 1900	: 1		3,596 J Y	(U162009)				53	87 f	170	1	I	ſ			J 00.51	1821	3.2	1
16GA X 48" X 120" 1 1,690 3,726 YU162547 98866094A 11 252 962 56 32 160 4.4 47 119 32 10 804 1817 2.5 22GA X 48" X 120" 1 1,718 3,786 YU161311 98856094A-12 292 652 56 32 160 4.4 47 119 32 10 804 1817 2.5 22GA X 48" X 120" 1 1,718 3,786 YU161311 98856839A-12 294 659 53 85 173 4.8 48 113 36 4 802 1827 2.5 24GA X 48" X 120" 1 1,598 3,528 YU162639 988667476-15 298 685 55 86 174 4.8 49 122 37 11 803 1829 1.8 48 113 36 4 802 1822 2.4 107AL: 25 39,380 85,620	16GA Y 48" Y 1009	1 1		3,594   \	/U162009/	968616670 46			5.1						37	.*	l uruz			ĺ
22GA X 48* X 96" 1 1,580 3,726 YU162547 98866094A-12 282 662 56 82 160 4.4 47 119 32 10 804 1817 2.5 24GA X 48* X 120* 1 1,718 3,786 YU161311 95855839A-12 294 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 24GA X 48* X 120* 1 1,598 3,526 YU162639 98866747B-14 298 685 55 86 174 4.8 49 122 37 11 804 1817 2.5 862 24 863 24 863 25 86 174 4.8 49 122 37 11 804 1829 1.6 96856844 1829 1.6 9685684 183 183 183 183 183 183 183 183 183 183	16GA Y 48" Y 197"	4 ]		3,726   \	(U162M7)	088883301 F 11			53		1				37			,		
22GA X 48" X 120" I 1.718 3,849 YU161311 95855839A-12 294 659 53 85 173 4.8 45 113 36 4 802 1822 2.1 24GA X 48" X 120" I 1.508 3,538 YU162639 98886747B-15 298 685 55 86 174 4.8 49 122 37 11 804 1817 2.5 862 2.4 1007AL: 25 39,380 86,620	22GA X 48° X 05"	: 1		3,726 Y	[J162547]	DESCENDA 1 11			56	- 1					:17					
24CA X 48* X 96* 1 1,508 3,786 YU161311 95\$55839A-13 294 659 53 85 173 4.8 43 113 36 4 802 1822 2.4 24GA X 48* X 120* 1 1,538 4,523 YU162639 98\$6747B-15 298 685 55 86 174 4.8 49 122 37 11 804 1832 2.4 10TAL: 25 39,380 85,620	22GA Y 48" Y 100"	4		3,849   Y	(U161311)	000000000	- 1		56				1		32					
24GA X 48 X 120 1 1,558 3,528 YU162639 988866747[5-15] 228 639 53 85 173 4.8 48 113 36 4 802 1822 2.4 107AL: 25 39,880 85,620 98886747[5-14] 238 685 55 86 174 4.8 49 122 37 11 804 1829 1.6 Parameters.	24GA X 48" V par	<del>-</del>		3,788   Y	U161311	955558304-12							· 1		32					
TOTAL: 25 39,880 85,620 98586747[3-14] 298 685 35 86 174 4.8 49 192 37 11 803 1829 1.6 Remarks.	24GA X 48 Y 1999			3,536 7	U162630112				53	85					36					
TOTAL: 25 39,880 85,620 86 174 4.8 49 192 37 11 804 1829 1.6 Remarks.	1 120	, L	1,558	3,523 Y	U162639	9885667.1713.17			35	86					36	- i 1				
Remarks. 10 MSD 750 COM 1.6 P. 11 804 1 120 1.6 P. 120	TOTAL:	25 -	- L				238	685	55	86						<del>-11  </del>				
WE HEREBY CERTIFY THAT THE MARKET COUNTAMPATION Brist lest yeard for all thou MO.				35,820					1_			7.77	13	122	:17					7
	WE HEREBY CERTIFY THAT THE	E MATERIA	U OGCODE	LATION	Ber	al testigood for all Head	NO.											**************************************	1.6	

BEEN MADE IN ACCORDANCE WITH THE RULES OF THE MILL CERTIFICATE.

YIEH MAUCORP.





Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

#### **PURCHASE ORDER**

#### Purchase Order ID PO13762

Purchase Order Date 3/31/2011 PO Print Date 3/31/2011

Page Number 1 of 3

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

CA

**Contact Name** 

**Vendor Phone** 

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr Tax Resale Nbr

10127-2607

Terms Currency Net 30 CAD

**FOB** 

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

**CANADA** 



Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg 1D	Req Date/ Taxable U		Qty/ asure	Ship Method	Unit Price	Extended Price
Mé	5061T6A4.000W.250	6061T6 ANGLE 4.00 x 4.00 x .250	4/8/2011 Yes	/	20.00 f	Yours ppd	\$4.9450	\$98.90
			ies		1			
		Special Inst:	MATERIAL: 606 ALUMINUM AN AS PER AMS-QQ	GLE	0Т6511			
Me	5061T6T3.500W.375	6061-T6 RD Tube 3.50 X .375 W	4/8/2011		20.00	Yours ppd	\$12.6150	\$252.30
			Yes		f			
		Special Inst:	MATERIAL: 606 TUBING PER SEAMLESS TUB OR-AMS 4082 OR QQ-A-200/8 0	ING AS P	ER WW			
Mé	5061T6S.080	6061-T6 .080 Sheet	4/8/2011 Yes	V	336.00 sf	Yours ppd	\$3.4107	\$1,146.00

No substitution or deviation without consent.

Certificate of Conformity or Material

Change Nbr:

Change Date: 3/31/2011

Certification required when applicable



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

#### **PURCHASE ORDER**

#### Purchase Order ID PO13762

Purchase Order Date 3/31/2011 PO Print Date 3/31/2011

Page Number 2 of 3

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

CA

Contact Name

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr Tax Resale Nbr

**Terms** 

10127-2607 Net 30

Currency

CAD

**FOB** 

Destination-Collect

Special Inst:

MATERIAL: 6061-T6/T62 ALUMINUM

SHEET

AS PER QQ-A-250/11 OR AMS-QQ-A-

250/11 OR

AMS 4025 OR AMS 4027 OR ASTM B206

M6061T6S.063

6061-T6 .063 Sheet

4/8/2011

336.00 Yours ppd sf

\$2.6964

\$905.99

Yes

Special Inst:

MATERIAL: 6061-T6/T62 ALUMINUM

SHEET

AS PER QQ-A-250/11 OR AMS-QQ-A-

250/11 OR

AMS 4025 OR AMS 4027 OR ASTM

B206□

32.00 Yours ppd \$2.6810

\$85.79

304/316 .020" Sheet

4/8/2011

Yes

sf

Special Inst:

MATERIAL: AISI 304/316 SS SHEET

ANNEALED 2B FINISH

AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR

ASME SA240

M2024T3S.063

M304S25GA

2024-T3 .063 sheet

4/8/2011

288.00 Yours ppd

\$4.3468

\$1,251.88

Yes

sf

**Special Inst:** 

MATERIAL: 2024-T3 ALUMINUM SHEET

AS PER QQ-A-250/4 OR AMS-QQ-A-250/4

OR

AMS 4037 OR ASTM B209

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date: 3/31/2011



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

#### PURCHASE ORDER

#### Purchase Order ID PO13762

Purchase Order Date 3/31/2011 **PO Print Date 3/31/2011** 

Page Number 3 of 3

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

CA

**Contact Name** 

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

**Terms** Currency

CAD

**FOB** 

Destination-Collect

M2024T3S.080

2024-T3 .080 sheet

4/8/2011

Yes

96.00 Yours ppd sf

\$6.3541

\$609.99

Special Inst:

MATERIAL: 2024-T3 ALUMINUM SHEET

AS PER QQ-A-250/4 OR AMS-QQ-A-250/4

AMS 4037 OR ASTM B209

PO Total:

\$4,350.85

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

**Change Date:** 3/31/2011

#### TRANSMISSION VERIFICATION REPORT

: 03/31/2011 13:55 ·

TIME : 03/31/2011 NAME : FAX : TEL : SER.# : F9N212739

DATE,TIME FAX NO./NAME DURATION PAGE(S) RESULT MODE

03/31 13:55 19057389033 00:00:42 03 OK STANDARD ECM

No: PEC ST-316544

Quoted By:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Quoted To: (20115) DART AEROSPACE 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7

Trm NET 30 DAYS/NET 30 JOURS Qtd 30Mar11 Qte Ref

Quoted Ship To: ( 1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Frt Tel	PREPAID V 613-632-9577 Fax 613-632-1053 C STAN IVERS (905-532-1350)	ia tc C	HANTAL		FOB			
	Q U O Test Certs: Chem-Y Phys-Y 1 Ori		T I O N l copies	with Shi				
1	ALUMINUM PLATE 6061-T651 1.50" THICK X 15.0000" X 144.500 Part No CUT FROM PLATE		ET CA ET ON	2 S	PCS		660	
	Ga Tol + 0.0000 - 0.0000 Pc/Ta WthTol + 0.0630 - 0.0000 Wt/Sk LthTol + 0.0630 - 0.0000 Ty	ig id Pk	2					
	MATERIAL ENERGY SURCHARGE	2	PCS @	994.500			1,989 15	
	ALUMINUM ANGLE 6061-T6511 306 4.00" x 4.00" x .250" X 240.0000	+			PCS			LBS
	MATERIAL	1	PCS @	98.900	O EA	4.945	98	.90
J	ALUMINUM SHEET 6061 T6 .0810 Nom X 48.0000" X 144.0000 MATERIAL	382	3365F LBS @	3.000	PCS 0 LBS	3.4107	382 1,146	LBS
$\int_4^{-1}$	ALUMINUM SHEET 6061 T6 .0640 Nom X 48.0000" X 144.0000 MATERIAL	ייון	365F	3.000	PCS 0 LBS		302	
/5	STAINLESS STEEL SHEET 304-2B , .0250 Nom X 48.0000" X 96.0000" Part No OFFERING .025"			. 1	PCS		.33	
\ ·	MATERIAL	33	LBS @	2.600	0 LBS	2.681	85	.80
· <b>1</b> 6	ALUMINUM SHEET 2024 -T3 .0640 Nom X 48.0000" X 144.0000	"J&	85F	6	PCS	2	259	LBS
	Part No 4-6 DAYS A.R.O MATERIAL		PCS @	208.650	ο EA .	.3468 <sup>3</sup>	1,251	.90
7	ALUMINUM SHEET 2024 -T3 ' .0810 Nom X 48.0000".X 144.0000 Part No 4-6 DAYS A.R.O	, 9b	SF	2	PCS	. 1	109	LBS
	Part No 4-6 DAYS A.R.O				( <sub>e</sub> ,	3541	•	

Page: 1 ....Continued

QUOTATION .

No: PEC ST-313309

Quoted By:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Quoted To: ( 20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Quoted Ship To: ( 1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Trm NET 30 DAYS/NET 30 JOURS Qtd 21Mar11 Qte Ref Frt PREPAID Via FOB Tel 613-632-9577 Fax 613-632-1053 Ctc CHANTAL Slp STAN IVERS (905-532-1350) . 化水环己基环化过程表现的现在分词使用自己可以提供的可以使用的可以使用的可以是是可以使用的可以使用的可以可以可以 Q U O T A T I O N . QT No: PEC ST-313309 Test Certs: Chem-Y Phys-Y 1 Original copies with Shipment, 1 with Invoice \_\_\_\_\_\_ 2 PCS 1 ALUMINUM PLATE 6061-T651 75 LBS 1.250" THICK X 2.0000" X 144.0000" <<<---->>>> Ga Tol + 0.0000 - 0.0000 Pc/Tag WthTol + 0.0630 - 0.0000 Wt/Skd LthTol + 0.0000 - 0.0000 Ty MATERIAL 15. 0000 LOT 248. 00 2 PCS @ 124.0000 EA ENERGY SURCHARGE 2 ALUMINUM ROUND BAR 6061T6 COLD FINISH 5 PCS 22 LBS .625" DIA X 144.0000" MATERIAL 5 PCS @ 30.0000 EA 150.00 3 STAINLESS STEEL SHEET 304-28 5 PCS 401 LBS .0600 Nom X 48.0000" X 96.0000" MATERIAL 10 Aloo 401 LBS @ 2.1100 LBS 846.11 4 STAINLESS STEEL FLAT BAR 17-4 HRAP 2 PCS 306 LBS 1.50" X 2.50" X 144.0000" Part No 4-6 DAYS A.R.O MATERIAL 306 LBS @ 3.9100 LBS 1,196.46 5 STAINLESS STEEL FLAT BAR 17-4 HRAP 3 PCS 302 LBS 1.25" X 2.00" X 144.0000" Part No 4-6 DAYS A.R.O MATERIAL 302 LBS @ 3.8000 LBS 1,147.60 6 ALUMINUM TUBE 6061-T6511 1 PCS 87 LBS 3.50" OD x .375" WALL X 240.0000" Part No 3-5 DAYS A.R.O MATERIAL 87 LBS @ 87 LBS @ 2.9000 LBS MILL TEST REPORTS, PACKING SLIPS ARE TO SENT

Page: 1 .... Continued

"mid april

03/31/11 03:34 PM EDT

STELfax

From: THYSSENKRUPP MATERIALS NA

STAN IVERS Tel: 905 669 9444 Fax: 9057389033

To:

,

DART AEROSPACE Attn: 96294 Tel: 613-632-9577 Fax: 613-632-1053 Number of Pages: 3

Subject: Sales Acknowledgement

31Mar11 15:33 SALES ACKNOWLEDGMENT No: PEC ST-317293

Sold By: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6

Tel: 905 669 9444 Fax: 9057389033

Sold To: (20115) DART AEROSPACE 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7 Ship To: ( 1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Trm NET 30 DAYS/NET 30 JOURS Ord 31Mar11 Due04Apr11
Frt PREPAID Via VIM TRANSFER TRUCK FOB CONCORD

Con 96294 PO/Rel 13762

SIP STAN IVERS (905-532-1350) Tel 613-632-9577 Fax 613-632-1053

SALES ACKNOWLEDGMENT SO No PEC ST-317293 Test Certs: Chem Y Phys Y 1 Original copies with Shipment, 1 with Invoice 1 ALUMINUM ANGLE 6061-T6511 1 PCS 4.00" x 4.00" x .250" X 240.0000" MATERIAL 1 PCS @ 98.9000 EA 98.90 .\_\_\_\_ 7 PCS 2 ALUMINUM SHEET 6061 T6 382 LBS .0810 Nom X 48.0000" X 144.0000" 1,146.00 382 LBS @ 3.0000 LBS MATERIAL \_\_\_\_\_ 7 PCS 3 ALUMINUM SHEET 6061 T6 302 LBS .0640 Nom X 48.0000" X 144.0000" 302 LBS @ 3.0000 LBS 906.00 MATERIAL \_\_\_\_\_ 4 STAINLESS STEEL SHEET 304-2B 1 PCS 33 LBS .0250 Nom X 48.0000" X 96.0000" Part No OFFERING .025" 33 LBS @ 2.6000 LBS MATERIAL

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.

ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*

\*\* REFERENCED ON IT \*\*

\*\* CUSTOMER PICK-UP HRS / 9:00 AM TO 4:00 PM \*\*

\*\*\* TEL. 800-926-2600 \*\*\*

\* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*

\*\*\*PLEASE NOTE A \$15.00 ENERGY SURCHARGE WILL BE

ADDED TO EVERY ORDER AS OF DEC. 8./08.\*\*\*

		Orde	r Totals:	4 Items	763 LBS
******	***********	*****	*********	*********	**********
Material	Processing	Freight	Other	Taxes	ORDER AMT
2, 236. 70				290.77	2,527.47
*****		*****			*********

Page: 1 .... Continued

No: PEC ST-317293

31Mar11 15:33 SALES ACKNOWLEDGMENT

Sold By: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033

Sold To: ( 20115)

Ship To: ( 1) DART AEROSPACE

DART AEROSPACE

SALES ACKNOWLEDGMENT SO NO PEC ST-317293 Test Certs: Chem Y Phys Y 1 Original copies with Shipment, 1 with Invoice Taxes: ONHSTS 290.77

Page: 2 .... Last

The second of the second of the second

22

No: PEC 704150

BILL OF LADING Ship From: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033

Ship To: (DART AEROSPACE 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7 Tel: 613-632-9577 Fax: 613-632-1053

Ship Date 31Mar11 at 15:54 From PFW Probill Via VIM TRANSFER TRUCK CONCORD FOB Frt PREPAID Route 0- 0 Manifest Vhcle Trailer Slp STAN IVERS (905-532-1350) Sold To: (20115) DART AEROSPACE 1270 ABERDEEN ST

HAWKESBURY, ON K6A 1K7

1

5

B I L L O F L A D I N G

1) Our Order PEC-316219- 1 Your PO # 13724

ALUMINUM ROUND BAR 6061T6 COLD FINISH .625" DIA X 144.0000" Quantity PCS Wt LBS Tag No Heat Number 20142801 486090 60 FT 5 PCS LBS Tags

TOTAL:

\*\*\*\*ADD ON TO 315952 SUR-CHARGE PAID\*\*\*\*\*\*\*\*\*

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING. ATTN: CHANTAL/LINDA \*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*

\*\* REFERENCED ON IT \*\*

TOTAL 1 TUBE GW. 26 LBS

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\*

\*\*\*\* TEL. 800-926-2600 \*\*\*\*

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* WE STOCK STAINLESS STEEL

PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*\*\*\*\*\*\*\*\*\*\*\* \*\*\*PLEASE NOTE A \$15.00 ENERGY SURCHARGE WILL BE ADDED TO EVERY ORDER AS OF DEC 8/08.\*\*\*

Page: 1 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÉTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER

BILL OF Ship From: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033

STATE OF THE STATE

Ship To: DART AEROSPACE 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7

2011-Mar-31 12:38 PM

Tel: 613-632-9577 Fax: 613-632-1053

No: PEC 704150 LADING Ship Date 31Mar11 at 15:54 From PFW Probill Via VIM TRANSFER TRUCK FOB CONCORD Frt PREPAID Route 0- 0 Manifest Vhcle Trailer Slp STAN IVERS (905-532-1350) Sold To: ( 20115) DART AEROSPACE 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7

B I L L O F L A D I N G

1) Our Order PEC-316219- 1 Your PO # 13724
ALUMINUM ROUND BAR 6061T6 COLD FINISH .625" DIA X 144.0000" PCS Wt LBS Quantity Heat Number Taq No 20142801 486090 60 FT 5 \_ \_ \_ \_ \_ \_ PCS LBS Tags TOTAL: 22

\*\*\*\*ADD ON TO 315952 SUR-CHARGE PAID\*\*\*\*\*\*\*\*\*

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING. ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\* \*\* REFERENCED ON IT \*\*

TOTAL 1 TUBE GW. 26 LBS

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\* \*\*\*\* TEL. 800-926-2600 \*\*\*\* \*\*\*\*\*\*\*\*\*\*\* WE STOCK STAINLESS STEEL PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*\*\*\*\*\*\*\*\*\*\* \*\*\*PLEASE NOTE A \$15.00 ENERGY SURCHARGE WILL BE ADDED TO EVERY ORDER AS OF DEC 8/08.\*\*\*

Page: 1 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE RAPPORTÉES IMMÉDIATEMENT ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.

MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.



Tennalum PO Box 669 Jackson, TN 38302 731-423-2811



# CERTIFIED TEST REPORT

http://Certs.KaiserAluminum.com

CUSTOMER PO NUMB	ER:	CUSTOMER PART NUMBER:	PRODUCT DESCRIP	PRODUCT DESCRIPTION:				
5400094586-70		ALRD00430	Cold Finished P	Cold Finished Round				
KAISER ORDER NUMBER: LINE ITEM:		SHIP DATE:	ALLOY:	TEMPER:				
668363 7		03/21/2011	6061	T651				
WEIGHT SHIPPED:	QUANTITY:	B/L NUMBER:	DIAM/DAF/THKNS:	WIDTH:	LENGTH:			
850 lbs.	197 pcs.	32154	0,625 in.	0.000 in.	144.0 in.			
SHIP TO:			SOLD TO:					
Copper & Brass Sales, Inc. 8001 ThyssenKrupp Parkway Northwood, OH 43619 USA			Copper & Brass Sales Inc Attn: Accounts Payable P. O. Box 5116 Southfield, MI 48086-5116 USA					

Test Code: 1000 AC

# **Actual Physical Properties**

Lot Number	LONG.	LONG.	LONG.			
	UTS	YTS	ELONG.			
	ksi	ksi	%	<u> </u>		
20142801	50.8	47.7	20.0			
	50.4	47.3	20.0	•		

# Chemical Composition, WT. % (Aluminum Remainder)

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OTHERS EACH	OTHERS TOTAL	Lot
Actual Max Min				0.15	1.2		0.25		0.05	0.15	20142801

# Specifications

Standard: ISO 9001, ASTMB211-03, AMS4117J, AMS-QQ-A-225/8A

#### CERTIFICATION

Kaiser Aluminum & Chemical Corporation ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

Durky Remaky

Plant Serial: 152321

Kaiser Order Number: 668363

Line Item: 7

Page 1 of 2



Tennalum PO Box 669 Jackson, TN 38302 731-423-2811



# CERTIFIED TEST REPORT

http://Certs.KaiserAluminum.com

#### Miscellaneous Notes

Made in USA

This material was melted and manufactured in the USA. Mercury is not a normal contaminant in aluminum alloys. Neither mercury nor any of its compounds were utilized by Kaiser Aluminum in the manufacture of this material. AS9100B:2004 This material meets the requirements of T6 temper and of QQ-A-225/8E (CANCELLED). Material is RoHS compliant.

#### CERTIFICATION

Kaiser Aluminum & Chemical Corporation ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

Dom Ramedy

Plant Serial: 152321

Kaiser Order Number: 668363

Line Item: 7

Page 2 of 2

```
BILL
                            O F
                                  LADING
                                                           No:
                                                                 PEC 704369
                                        Ship Date 04Aprll at 17:38 From PFW
Ship From:
THYSSENKRUPP MATERIALS NA
                                        Probill
                                        Via
                                              VIM TRANSFER TRUCK
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
                                              CONCORD
                                        FOB
Tel: 905 669 9444 Fax: 9057389033
                                              PREPAID
                                        Frt
                                                0 -
                                                    0 Manifest
                                        Route
                                        Vhcle
                                                            Trailer
                                        Slp
                                              STAN IVERS (905-532-1350)
                                        Sold To:
                                                    ( 20115)
Ship To:
                 1)
DART AEROSPACE
                                        DART AEROSPACE
1270 ABERDEEN ST
                                        1270 ABERDEEN ST
                                        HAWKESBURY, ON K6A 1K7
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053
```

	. 可以自由的自由的自由的特殊的特殊的自由的特殊的。
B I L L O F L A D I 1) Our Order PEC-317293- 1 Your PO # 13762 ALUMINUM ANGLE 6061-T6511	ing MTR
4.00" x 4.00" x .250" X 240.0000"  Heat Number Tag No 12468 180083	Quantity PCS Wt LBS 20 FT 1 46
2) Our Order PEC-317293- 2 Your PO # 13762 ALUMINUM SHEET 6061 T6 .0810 Nom X 48.0000" X 144.0000" Heat Number Tag No 422402 180255	Quantity PCS Wt LBS 336.00 SFT 7 385
3) Our Order PEC-317293- 3 Your PO # 13762 ALUMINUM SHEET 6061 T6 .0640 Nom X 48.0000" X 144.0000" Heat Number Tag No 432302 180256	Quantity POSATR Wt LBS 336.00 SFT 301
	# Quantity POSTQ Wt LBS
YU162639 180283	32.00 SFT WILL 33  Tags PCS LBS  TAL: 4 16 765

Heat Number 12468

\*\*\* Chemical Analysis \*\*\*

1 ....Continued Page:

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES POIVENT ÉTRE RAPPORTÉES IMMÉDIATEMENT ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

Committee of the commit I N G No: PEC 704369 Ship Date 04Aprll at 17:38 From PFW BILL OF LADING Ship From: THYSSENKRUPP MATERIALS NA Probill Via VIM TRANSFER TRUCK FOB CONCORD Frt PREPAID Route 0- 0 Manifest 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033 Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115) Ship To: ( 1) DART AEROSPACE DART AEROSPACE 1270 ABERDEEN ST 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7 HAWKESBURY, ON K6A 1K7 Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G 1) Our Order PEC-317293- 1 Your PO # 13762 ALUMINUM ANGLE 6061-T6511 4.00" x 4.00" x .250" X 240.0000" Heat Number Tag No Quantity PCS 12468 180083 20 FT 1 Wt LBS 46 2) Our Order PEC-317293- 2 Your PO # 13762 ALUMINUM SHEET 6061 T6 .0810 Nom X 48.0000" X 144.0000" Heat Number Tag No Quantity PCS 422402 180255 336.00 SFT 7 Wt LBS \_\_\_\_\_ 3) Our Order PEC-317293- 3 Your PO # 13762 ALUMINUM SHEET 6061 T6
.0640 Nom X 48.0000" X 144.0000"
Heat Number Tag No Quantity
432302 180256 336.00 SFT ALUMINUM SHEET 6061 T6 PCS Wt LBS 301 フ 4) Our Order PEC-317293- 4 Your PO # 13762 Part # OFFERING .025" Rel # STAINLESS STEEL SHEET 304-2B .0250 Nom X 48.0000" X 96.0000" Rel # Quantity PCSWITH Wt LBS 32.00 SFT 1 33 Heat Number Tag No YU162639 180283 \_\_\_\_\_\_ ----Tags PCS TOTAL: 4 16 LBS

Heat Number 12468

\*\*\* Chemical Analysis \*\*\*

Page: 1 ....Continued

TÖUTES ERREURS ETVOU MARCHANDISES MANQUANTES DOIVENT ÉTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

BILL O F LADING No:PEC 704369 Ship Date 04Aprll at 17:38 From PFW Ship From: THYSSENKRUPP MATERIALS NA Probill VIM TRANSFER TRUCK 2821 LANGSTAFF ROAD Via CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033 CONCORD FOB Frt PREPAID 0- 0 Manifest Route Vhcle Trailer STAN IVERS (905-532-1350) Slp (20115)Sold To: Ship To: DART AEROSPACE DART AEROSPACE \_\_\_\_\_\_\_\_\_\_\_\_\_\_\_

BILL OF LADING

422402 432302 YU162639

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING. ATTN: CHANTAL/LINDA \*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\* \*\* REFERENCED ON IT \*\*

TOTAL 1 BDL, 2 SKIDS GW. 928 LBS

ITEM (1) BDL, (2,3) SKID, (4) SKID.

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\* \*\*\*\* TEL. 800-926-2600 \*\*\*\* \*\*\*\*\*\*\*\*\*\*\*\* WE STOCK STAINLESS STEEL PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*\*\*\*\*\*\*\*\*\* \*\*\*PLEASE NOTE A \$20.00 ENERGY SURCHARGE WILL BE ADDED TO EVERY ORDER. \*\*\*

Page: 2 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÉTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

DATE

```
LADING
               BILL
                       O F
                                                 No:
                                                     PEC 704369
                                 Ship Date 04Aprll at 17:38 From PFW
 Ship From:
 THYSSENKRUPP MATERIALS NA
                                 Probill
                                      VIM TRANSFER TRUCK
 2821 LANGSTAFF ROAD
                                 Via
                                 FOB
                                      CONCORD
 CONCORD, ONTARIO L4K 5C6
 Tel: 905 669 9444 Fax: 9057389033
                                      PREPAID
                                 Frt
                                        0- 0 Manifest
                                 Route
                                 Vhcle
                                                 Trailer
                                      STAN IVERS (905-532-1350)
                                 Slp
                                 Sold To: (20115)
 Ship To:
 DART AEROSPACE
                                 DART AEROSPACE
```

BILL OF LADING

422402 432302 YU162639

2011-Apr-01 02:29 PM

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING. ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\* \*\* REFERENCED ON IT \*\*

TOTAL 1 BDL, 2 SKIDS GW. 928 LBS

ITEM (1) BDL, (2,3) SKID, (4) SKID.

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\* \*\*\*\* TEL. 800-926-2600 \*\*\*\* \*\*\*\*\*\*\*\*\*\*\*\*\*\*\* WE STOCK STAINLESS STEEL PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*\*\*\*\*\*\*\*\*\* \*\*\*PLEASE NOTE A \$20.00 ENERGY SURCHARGE WILL BE ADDED TO EVERY ORDER. \*\*\*

Page: 2 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÉTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT, MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

DATE

9056691787

THYSSENKRUPP MATERIALS NA

PO/Rel 13762

Certificate of Mill Test Results BLPEC-704369-001

DART AEROSPACE ALUMINUM ANGLE 6061-76511 4.00" x 4.00" x .250" X 240,0000" PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs,

4April Pg:1/1



TEL: (416)745-4444 FAX:(416)745-0925 1-800-668-7210 411 CHRISLEA ROAD, WOODBRIDGE, ONTARIO, CANADA L4L 8N4 http://www.extrudex.com

#### MILL TEST REPORT

:	9/12 70	1773 Curt Code:		DIE NUMBER		DATE OF SHIPMENT	EXTRUDEX ORDER NO.	MANIFEST NO.
i	THYSSENKRUP <u>P MATERIALS,NA</u>	1	0.24	S	22440	2/22/2011	— 131352 — 4	241972
İ	SHIP TO	1773 CUSTOMER PO		ALLOY	TEMPER	BALESMAN	[0 100Z == 49	641316
ļ	THYSSENKRUPP MATERIALS,NA	PEC-22	27952	6061	T6511	FRED PARKIN	· · ·   CERTIFICATION	
- 3	SO DESCRIPTION	CUSTOMER PART NU	WBER .	PART DESCR	IPTION			1
Ì	4"x.250" RF AN						MILL TEST ASTM B2	21

#### **Mechanical Properties**

<u>Lot</u>

Alloy

Test No.

Test Date

Ultimate Tensile Yield Strength
Strength (KSI) (KSI)

Elongation

Signed by:

Hardness

Conductivity

Other

0.00 0.00

A.11

A.11

6061

12695 Feb/17/11 42.8

39.8

14.30

89.9, 89.3, 89.0

0.00 0.00

0.00

0.00 0.00

#### Chemical Composition

Cast Number

12468 6061

I 0.84 0.05 0.00 0.00 0.02 0.01 0.00 0.00

David Natale

**Quality Control Manager** 

1 - CUSTOMER COPY

MILL TEST REPORT

THYSSENKRUPP MATERIALS NA

Certificate of Mill Test Results BLPEC-704369-003

4April1 Pg 1/2

ALUMINUM SHEET 6061 T6 .0640 Nom X 48.0000" X 144.0000"

PO/Rel 13762

We certify that this is a frue copy of the report furnished by the producer of the metal, or data resulting from lests made in approved labs.

CERTIFIED INSPECTION REPORT

Alcoa Inc.

1196202 Ship Date

PITTSBURGH, PA DAVENPORT WORKS

Alcoa No. Item

Ship Fram:

RIVERDALE, IA.

We horeby certly that the indicate covered by the ecroscope has been impacted with, and has been found to meet the applicable conformation chambed themin, including any specifications forming a part of the discription and has samples representative of the material and the companion kinds and had the machinetest properties shown on the face of this ether. Per:

Historian March

2010-12-31 5528198 00000 P.O. No./Govt Contract No. Customer 1000238877-2 Alcoa Item

Page DB-38877-2

5400077955 Ln#: D020

COPPER & BRASS SAL GO41090059R10

Invoice No.

Ship To: COPPER & BRASS SALES TWO CRANBERRY IND PARK

102 PARK RD

CRANBERRY TOWNSHIP 16066 PA

Item Description 0.063 IN TK (+0.0000 -.0035) X 48.0 IN W (+.125 -.125) X 144.0 IN IN (+.15625 -.15625) CAT X 063551-6 (N) A/T 6061-TO FILAT SHEET FOR DISTRIBUTIORS TOLERANCE GUARANTEED ALFERO2540. AMS4027 REV N EKC\_MRK ASTM8209 REV 07 ([MARKED]) KRAFT PAPER INTERLEAVED MAX GROSS

5KID WGT: 4000 LB QUAN TOL +/-20 & CQR 0206655 REV 10 CUST RED 10-12-01 \*\*\* W/R 10-12-84 \*\*\*

Num	Package Ticket	Lot	Weight	Quantity	DOM	Inspector Clock Numbers
1 2 3 4 5	257600 257602 257619 257626 257636	432302 432302 432302 432302 432302	3504 3606 2691 3604 3639	68 88 56 88 89	PC PC PC PC	27740 47307 27740 47307 27740 47307 27740 47307 27740 47307
			17144	419		

Notes for COR: 0206655.10 PRODUCT PRODUCED TO THE REQUIREMENTS OF AMS4027 REV N ALSO MEET THE REQUIREMENTS OF AMS-QQ-A-250\_11 ORIGINAL REVISIO N DATED 1997-08-01

0306655,10 -Specification Limits -----

0.8 0.04

PYT EL4D Tupr Dir KSI KSI PCT Long Transv. Max

Min 35.0 Other Other Chemical Composition FE CU MN MG CR ZN TI Each Total Aluminum SI Мах 0.8 0.7 0.40 0.15 1.2 0.35 0.25 0.15 0.05 0.15 Alley 6061 Min 9.40 0.15

Doc No. 102810 Indexed 13Jan11 by karen

9056691787

РМ
02:31
-01
1-Apr
201

YSSENKRUPP MATERIALS NA

Certificate of Mill Test Results

DART AEROSPACE

ALUMINUM SHEBI 6061 T6 .0640 Nom X 48.0000" X 144.0000" PART NO.

PO/Rel 13762

We coming that this is a true copy of the report formished by the producer of the metal, or data resulting from tests made in approved labs.

BL PEC-704369-003

4Apr11 Pg 2/2

**CERTIFIED INSPECTION REPORT** We hereby certify that the material covered by this certificate has been inspected with, and has been found to need, the applicable requirements described therein, including any operationions froming a part of the description and that compiles representative of the metadal most time compression that is and had the mechanical properties thouse on the time of this who for.

Alcoa Inc.

PITTSBURGH, PA **DAVENFORT WORKS** Ship From:

RIVERDALB, IA.

Page 2

DS-38877-2

1196202 Ship Date Alcon No. Item Invoice No. 2010-12-31 5529198 00000 1000238877-2 Alcoa Item Customer

P.O. No./Govt Contract No. 5400077955 Ln#: 0020

COPPER & BRASS SAL G041090059RIU

CQR: 0206655.10 -Specification Limits (cont.) - Mechanical, Physical, Metallography, Quantometer Results -----

No-> uts TYS EL4D

Tapr Dir KSI Test KEI PCT **T6** Long Transv. 49.3 43.6 11.3 49.2 43.6 11.1

Cast Number Chemical - OES SI FE CU MN MG CR H9831022 Actuals 0.61 0.4 0.26 0.06 0.9 0.18 0.02 0.02

This material was melted in the United States or a Qualifying Country [REF DFARS 225.872.1(a)]; it was manufactured in the United States

905669178

THYSSENKRUPP MATERIALS NA DART AEROSPACE

ALUMINUM SHEBT 6061 T6 . 0810 Nam X 48.0000" X 144.0000"

PART NO.

PO/Rel 13762

We certify that this is a true copy of the report friendshed by the producer of the nicial, or data resulting from lests made in approved labs.

Certificate of Mill Test Results BLPEC-704369-002

4Avr11

Pg 1/2

CERTIFIED INSPECTION REPORT

Alcoa Inc.

PITTSBURGH, PA

DAVENPORT WORKS

We havely configure the metal derend by the certificate has been impected with, and has been found to meet, as applicable requirements described therein, including any specifications boming a part of the description and that samples representative of the material med the compassion itsulfs and the materials properties shown on the face of the sheet for:

٠٠٠٠ - . . . . .

Later & Yeary

1187125 Ship Date Invoice No. Alcoa No. Item 2010-11-30 5444233 00000 1000238873-4 Customer P.O. No./Govt Contract No. Alcoa Item

Ship From:

D8-38873-4

RIVERDALE, IA.

Page

Natcalm Marph Director of Manufacturing Davenport Works

Kenton P, Young Qualty Assurance Monage

5400077954 Inf: 0040 COPPER & BRASS SAL GO41099578RD5

Ship To: COPPER & BRASS SALES INC 415 STATE PARKWAY SCHAUMBURG 60195 IL

Item Description 0.38 IN TK (+0,0000 -.0045) X 40.0 IN W (+.125 -.125) X 144.0 IN LN (+.15625 -.15635) CAT X 363567-2 (N) A/T 6051-TE FLAT SHEET FOR DISTRIBUTORS TOLERANCE GUARANTEED ALFLRO1650. AMS4027 REV N EXC MAK ASTMB209 REV 07 ((MARKED)) KRAFT PAPER INTERLEAVED MAK GROSS THIS HEAT AND THAT GROSS

SKID WGT: 400G LB QUAN TOL +/-30 %

CQR 0214533 RBV 05 CUST REQ 10-11
24 \*\*\* W/B 10-11-27 \*\*\*

Num 1 2 3	Package Ticket 256111 256114 256127 256129	Lot 422402 422402 422402 422402	Weight 3571 3581 1665 3579	Quantity 69 69 32	DOM PC PC PC PC	Inapector Clock Numbers 27740 47114 27740 47114 27740 47114 27740 47114
			12396	239		

Notes for CQR: 0214533.5 PRODUCT PRODUCED TO THE REQUIREMENTS OF AMS4027 REV N ALSO MEET THE REQUIREMENTS OF AMS-QQ-A-250\_11 ORIGINAL REVISIO N DATED

CQR: 0214533.5 -Specification Limits -----

**ほし4つ** Tmpr Dir KSI KSI PCT Long Transv. Max

Min 42.0 35.0 10 Other Other Chemical Composition SI FE CU MN MG CR EN TI Each Total Aluminum 0.8 0.7 0.40 0.15 1.2 0.35 0.25 0.15 0.05 0 15 Max Alloy 6061 Min 0.15 0.8 0.04

Thy

# THYSSENKRUPP MATERIALS NA

# Certificate of Mill Test Results

ALUMINUM SHEET 6061 T6 : 0810 Nom X 48.0000" X 144.0000"

. . \*

PO/Rel 13762

We certify that this is a true convocatio report. furnished by the producer of the metal, or data resulting from lests made in approved labs. BL PEC 704369-002

4Apr11 Pg 2/2

CERTIFIED INSPECTION REPORT

Alcoa Inc.

PITTSBURGH, PA

DAVENPORT WORKS

We havely oridly that the material covered by this confidure has been inspected with, and has been found to meet, the applicable requirements described therein, including any specifications familing a part of the describion and that samples approximately all the motivate of the motivate and the composition firm and the mechanical properties shown on the face of the cheer.

Per:

Materia Mumbu

Cupity Atalyanca Manage

1187125 Ship Date 2010-11-30 5444233 P.O. No./Govt Contract No.

1000236873-4 Alcca Item

Ship From:

Alcoa No. Item.

Page DS-38873-4

RIVBRDALE, IA.

Customer COPPER & BRASE SAL GO41099578RD5 5400077954 Ln#: 0040

Invoice No.

DODOD

Okestor of Menufacturing Davengor: Warea

- Mechanical, Physical, Metallography, Ouantometer Results TYS EL4D Tunr Dir Tear KSI KSI PCT

Long Transv. 2 50.5 44.4 10.6 49.9 44.2 10.7

Cast Number Chemical - OES SI PE CU MO MG CR H9830092 Actuals D.63 D.4 0.24 D.06 0.9 0.19 0.02 B.02

CQR: 0214533.5 -Specification Limits (cont.) -----

This material was melted in the United States or a Qualifying Country (REF DFARS 225.872.1(a)); it was manufactured in the United States

9056691787

THYSSE	NKRU	PPM	ATERI	ALSNA
DART AEROS	SPACE			
STAINLESS STEEL 0230 Nous X 48	SHBET 304-2B 3.0000 X 96	00000*		We of the control of
PART NO. OFFEI	UNG 025"			Jesu

PO/Rel 13762

We cently that this is a true copy of the report formished by the producer of the metal, or data resulting from lests made in approved labs.

			Result	

# YIEH MAU CORP.

MILL TEST CERTIFICATES

INVOICE NO : COMMUNITY

F10M937-1

PRIME COLD ROLLED STAINLESS SPEEL SHEEP

945, SIRIN AN RICLLUCITU ASSANC KAOISIUNG BERGAT TARWAN R OJ TRLOTTSOFZERE FAXAGERITARI CERTIFICATE NO. FUNDEZ-1 DATE OF ISSUE IRREZUIO

AISI 304 ASUM A240/A480 and ASME SA240/SA480 OLBERT RETAL SALES LIMITED SPECIFICATION CUSTOMER

Size   Mil.			NI).	· · · · · ·		<b>!</b> .	· ——	7.3									TE OF ISSUE INVESTOR					
Color   Colo		6125					i	Physical Proporties														
SOURT   1   1,628   3,649   YU162009   58861507C-12   313   654   638   87   179   4.6   52   119   37   3   868   1604   2.7		242.6		IN	(N.W.)		ID NO.	Tursile Tea					Chamber County									
SOURD   1   1,628   3,649   VII   1,628   3,641   VII   1,628   3,649   VII   1,628	ı		f	1									The state of the s									
201 28   7   1   1   1   1   1   1   1   1   1				KEES	f late							7			7		, 1.75	J.,				
11GA X 48" X 120"   1   1,688   3,589   YU162009   98801507C-11   311   654   63   87   179   9.6   52   119   37   3   808   1804   2.7	ı			<del>  ```</del>	LINA	<u> </u>				J 15 1-		[ HV	l c	J	1		1	- 1		, ;		•
TIGA X 48" X 120"   1   1,695   3,569   YU182099   98861567C-12   313   654   63   87   179   5,6   52   119   37   3   868   1804   2.7   180A X 48" X 120"   1   1,695   3,674   YU1821919   98861567C-12   313   654   63   87   179   5,6   52   119   37   3   868   1804   2.7   180A X 48" X 120"   1   1,695   3,674   YU1621519   9886293818-3   292   617   60   79   151   5,   68   127   33   36   36   1804   2.7   180A X 48" X 120"   1   1,395   2,950   YU1821919   9886293818-3   316   672   55   85   172   4.6   51   125   36   6   811   1830   2.5   180A X 48" X 120"   1   1,583   2,495   YU1827662   9886295981A-3   316   672   56   85   172   4.6   51   125   36   6   811   1830   2.5   180A X 48" X 120"   1   1,583   3,499   YU162157   9886295981A-3   316   672   56   86   176   4.3   48   114   37   4   81   1830   2.5   180A X 48" X 120"   1   1,693   3,594   YU161138   9886295981A-3   316   672   56   86   176   4.3   48   114   37   4   81   1830   4.5   4   4   4   4   4   4   4   4   4	ſ	110A X 48" X 190"		1		' I		are mins	RN TONIT	17.1		ſ	_	1	,	1 '	S	1 8	يما ه			
16GA X 49" X 120"	1	110A X 48" Y 120"			3,589	YU162009	SREEL COTO	ļ	į.	1		1	8 11/A1	700	5 (13)	l viin	i) teles			' 1 ''		
16GA X 48" X 120"   1 1,650 3,671 YU162515   9856692810-3 398 624 57 79 152 5.1 48 110 36 3 80 1804 2.7 180A X 48" X 120"   1 1,650 2,976 YU162516   9856692803A-2 292 617 60 79 152 5.1 48 110 36 3 80 180 1820 2.7 180A X 48" X 120"   1 1,334 2,950 YU267562   9856693A-3 315 672 56 85 172 4.6 51 125 36 6 811 1830 2.5 120CA X 48" X 120"   1 1,563 3,490 YU267562   985629598A-5 315 672 56 86 176 4 44 105 31 5 80 1820 2.7 180A X 48" X 120"   1 1,653 3,490 YU267562   985629598A-5 315 672 56 86 176 4 44 105 31 5 80 1820 2.7 180A X 48" X 120"   1 1,650 3,554 YU161329   985628598A-3 315 672 56 86 176 4 44 105 31 5 80 1820 2.5 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5 180 1820 2.5	1	16CTA Y ANY V DOW	1 4		8,589	YITIRURUM	CARCING COMMAND		654	53	87		1	f		Ţ	~~~	<u> </u>	<u>"   " " " " " " " " " " " " " " " " " "</u>	<u> 21 [                                  </u>	b)	
18GA x 48" x 120"   1   1,350   2,956   77   11   1,310   2,956   78   12,956   79   152   5,1   46   110   36   3   806   1804   2,7	1	ICO A 16 ADD A 90	1 1	1,710	3.770	VENGOSIR	90001001G-13	113	654					52	189	127	1	Ι.	J	1		-
18GA X 48" X 120"   1   1,338   2,956   YU257404   988542838.2   292   617   60   79   152   5.1   46   110   36   3   806   1804   2.7     18GA X 48" X 120"   1   1,338   2,956   YU257404   9885440318.7   295   657   55   65   172   4.6   51   125   36   6   811   1830   2.9     20CA X 48" X 120"   1   1,533   3,490   YU257562   988529598.5   315   672   56   86   176   4.6   651   125   30   6   811   1830   2.9     20CA X 60" X 120"   1   1,630   3,594   YU161328   988529598.5   315   672   56   86   176   4.3   48   114   37   1   1805   1825   3.4     22GA X 48" X 120"   1   1,652   3,662   YU257166   9885285983.2   221   639   55   86   176   4.3   48   114   37   1   1805   1825   3.4     22GA X 48" X 120"   1   1,336   2,965   YU257166   988529588.5   221   639   55   85   170   4.3   48   122   37   4   896   1807   2.3     22GA X 48" X 120"   1   1,336   2,965   YU257166   988529588.5   221   639   55   85   170   4.3   48   122   37   4   896   1807   2.3     22GA X 48" X 120"   1   1,336   2,965   YU257166   988529588.5   231   231   616   54   85   176   1.6   37   1.4   41   8   806   1807   2.3     22GA X 48" X 120"   1   1,630   3,594   YU161328   9885927818.2   331   616   54   85   176   1.6   37   1.4   41   8   806   1807   2.3     22GA X 48" X 120"   1   1,630   3,594   YU162009   988616670-111   311   654   58   176   1.6   37   1.4   41   8   806   1807   2.3     22GA X 48" X 120"   1   1,630   3,594   YU162009   988616670-111   311   654   58   176   1.6   37   1.4   41   8   806   1807   2.3     22GA X 48" X 120"   1   1,630   3,594   YU162009   988616670-111   311   654   58   67   170   4.0   53   189   37   3   806   1808   2.7     22GA X 48" X 120"   1   1,630   3,798   YU162009   988616670-113   313   654   58   67   170   4.6   67   189   182	١	100M X 18" X 120"	1 (	1.665	3 671	VIIII	aasecoa5BU 3	298	[ 69 <b>a</b> ∈				1.6	52						ત ( જુ	7 [	
18GA X 48" X 120"   1   1388   2,950   YU257464   9885140318-5   296   657   55   85   172   4.6   51   125   36   6   811   1830   2.9	1	10GA X 48" X 120"	1 1	1.250		101022591	96862953A.2	ענותי				182	0.1	418				- HU	ં 1140			
18GA X 48" X 120" 1 1,334 2,941 YU161329 96S61403B-7 295 66 7 55 85 172 4.6 51 125 36 6 81 1830 2.9 20GA X 48" X 120" 1 1,583 3,49 YU161329 96S6295BA-3 315 672 56 86 176 4.4 105 30 6 811 1830 2.9 20GA X 60" X 120" 1 1,583 3,49 YU161329 96S6295BA-3 315 672 56 86 176 4.3 48 114 37 1 816 1830 2.9 20GA X 60" X 120" 1 1,680 3,594 YU161329 96S6295BA-3 315 672 56 86 176 4.3 48 114 37 1 816 1825 3.4 22GA X 48" X 120" 1 1,670 5,748 YU161329 95S5697B-2221 222 629 54 84 188 5.1 41 108 37 6 809 1818 2.5 22GA X 48" X 120" 1 1,672 3,662 YU161329 95S5697B-2221 222 629 54 84 188 5.1 41 108 37 6 809 1818 2.5 22GA X 48" X 120" 1 1,336 2,946 YU167168 95S69588A-2 291 639 55 85 170 4.3 49 122 37 4 886 1817 2.3 22GA X 48" X 120" 1 1,338 2,945 YU167168 95S69278B-1 281 616 54 85 176 4.3 49 122 37 4 886 1817 2.3 22GA X 48" X 120" 1 1,338 2,945 YU167168 95S69278B-1 281 616 54 85 176 4.3 49 122 37 4 886 1817 2.3 24GA X 48" X 120" 1 1,338 2,945 YU167168 95S69278B-1 281 616 54 85 176 4.3 49 122 37 4 886 1817 2.3 24GA X 48" X 120" 1 1,338 2,945 YU167168 95S69278B-1 281 616 54 85 176 4.3 49 122 37 4 886 1817 2.3 24GA X 48" X 120" 1 1,680 3,594 YU167009 95S69278B-1 281 616 54 85 176 1.6 37 144 34 9 801 1821 3.2 11GA X 48" X 120" 1 1,680 3,594 YU167009 95S69589A-1 281 616 54 85 176 1.6 37 144 34 9 801 1821 3.2 11GA X 48" X 120" 1 1,680 3,594 YU162009 95S61567B-112 313 654 53 87 179 4.0 53 119 37 3 806 1804 2.7 1604 X 48" X 120" 1 1,690 3,796 YU162009 95S61567B-112 313 654 53 87 179 4.0 53 119 37 3 806 1804 2.7 1604 X 48" X 120" 1 1,690 3,796 YU162009 95S60589A-12 284 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 107 1.1 1,691 3,786 YU162089 95S60589A-13 294 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 107 1.1 1,691 3,786 YU162089 95S60589A-13 294 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 107 1.1 1,698 3,598 YU162089 95S60589A-13 294 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 107 1.1 1,698 3,598 YU162089 95S60589A-13 294 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 107 11 1 1,698 3,598 YU162089 95S60589A-13 294 659 53 85 173 4.8 48 113 36 4 802 1822	Т	18GA X 48° X 130°	1 1			10/20/304	988614831£4	905				151	5				- 3	190	1 127			
20CA X 48" X 120" 1 1,630 3,490 YU267562 98502959BA-5 315 672 56 86 176 4.3 48 114 37 1 815 825 3.4   20CA X 60" X 120" 1 1,630 3,594 YU161323 98502959BA-5 315 672 56 86 176 4.3 48 114 37 1 815 825 3.4   22CA X 48" X 120" 1 1,630 3,694 YU161323 9858697B-2231 292 629 54 81 188 5.1 41 108 37 1 805 825 3.4   22CA X 48" X 120" 1 1,630 3,694 YU161323 98585697B-2231 292 629 54 81 188 5.1 41 108 37 1 805 825 3.4   22CA X 48" X 120" 1 1,630 3,694 YU161323 98585697B-2231 292 629 54 81 188 5.1 41 108 37 1 805 825 3.4   22CA X 48" X 120" 1 1,630 3,694 YU161324 9858588A-2 291 639 55 85 170 4.3 49 122 37 6 809 1418 2.5   24CA X 48" X 120" 1 1,336 2,945 YU1627156 9858928BA-3 312 81 616 54 86 176 4.3 49 122 37 6 809 1418 2.5   24CA X 48" X 120" 1 1,338 2,945 YU1627156 9858928BA-3 291 639 55 85 170 4.3 49 122 37 6 809 1418 2.5   24CA X 48" X 120" 1 1,338 2,945 YU1627156 9858928BA-3 291 639 55 85 170 4.3 49 122 37 4 866 1817 2.3   24CA X 48" X 120" 1 1,338 2,945 YU1627156 9858928BA-3 291 639 55 85 170 4.3 49 122 37 4 866 1817 2.3   24CA X 48" X 120" 1 1,338 2,945 YU1627156 98589278B-3 381 616 54 86 176 1.6 37 144 34 9 801 1821 3.2   11CA X 48" X 120" 1 1,630 3,564 YU1627156 98589278B-3 381 616 54 86 176 1.6 37 144 34 9 801 1821 3.2   11CA X 48" X 120" 1 1,630 3,564 YU162009 98581567B-111 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7   12CA X 48" X 120" 1 1,690 3,726 YU162697 98586934A-11 282 682 56 82 160 4.4 47 119 62 10 804 1817 2.5   22CA X 48" X 120" 1 1,600 3,736 YU162089 98586567B-111 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7   22CA X 48" X 120" 1 1,600 3,736 YU162839 98586694A-12 282 682 56 82 160 4.4 47 119 62 10 804 1817 2.5   22CA X 48" X 120" 1 1,600 3,738 YU162689 98586747B-15 298 685 55 85 174 4.8 49 122 17 11 804 1820 1.6    10TAL: 25 39380 886820	ł	1866人又 485 又 1/205	i i			YU257404	968614038-7				85	172					i n			-,		
20GA X 46" X 120" 1 1,583 3,490 YU257562 98562999BA-5 315 672 56 86 176 4 44 195 31 6 911 1830 2.9 98562999BA-5 315 672 56 86 176 4.3 48 114 37 4 8815 1822 3.4 920GA X 60" X 120" 1 1,630 3,594 YU161329 9856299BA-5 315 672 56 86 176 4.3 48 114 37 4 8815 1822 3.4 920GA X 46" X 120" 1 1,630 3,594 YU161329 9555697B-2231 292 629 54 84 188 5.1 41 188 37 4 895 1825 3.4 920GA X 46" X 120" 1 1,636 2,546 YU257166 9555697B-2231 291 639 55 85 170 4.3 49 122 37 4 896 1818 2.5 920GA X 46" X 120" 1 1,388 2,946 YU257166 955597B-12 291 639 55 85 170 4.3 49 122 37 4 896 1818 2.5 920GA X 46" X 120" 1 1,388 2,946 YU257166 955597B-12 291 639 55 85 170 4.3 49 122 37 4 896 1817 2.3 955597B-12 291 639 55 85 170 4.3 49 122 37 4 896 1817 2.3 955597B-12 291 639 55 85 170 4.3 49 122 37 4 896 1817 2.3 955597B-12 291 639 55 85 170 4.3 49 122 37 4 896 1817 2.3 95597B-12 291 639 55 85 170 4.3 49 122 37 4 896 1817 2.3 95597B-12 291 639 55 85 170 4.3 49 122 37 4 896 1817 2.3 95597B-12 291 639 55 85 170 4.3 49 122 37 4 896 1817 2.3 95597B-12 291 639 55 85 170 4.3 49 122 37 4 896 1817 2.3 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1827 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1827 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1827 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-12 391 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 95597B-	ı	20CA X 48" X 96"	1 ;			YU162157	9751395-1015			55	85					išti	6			~~		
20GA X 60" X 120" 1 1,630 3,594 YU161329 9856293918-3 315 672 56 86 176 4.3 48 114 37 1 1815 1825 3.4 220 X 48" X 120" 1 1,652 3,662 YU161329 98568978-2221 222 629 64 84 188 5.1 41 108 37 4 805 1825 3.4 224GA X 48" X 120" 1 1,336 2,945 YU161324 98558878-221 221 639 55 85 170 4.3 48 114 37 1 805 1825 3.4 24GA X 48" X 120" 1 1,336 2,945 YU162099 985616679-111 311 654 86" X 98" X 98" X 98" X 120" 1 1,338 2,945 YU162099 985616679-111 311 654 86" X 98" X 98" X 98" X 98" X 98" X 98" X 120" 1 1,650 3,594 YU162009 985616679-111 311 654 86" X 98" X 98" X 98" X 120" 1 1,650 3,594 YU162009 985616679-111 311 654 86" X 98" X 98" X 98" X 120" 1 1,650 3,594 YU162009 985616679-111 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,650 3,594 YU162009 985616679-111 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,650 3,594 YU162009 985616679-111 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,650 3,594 YU162009 985616679-111 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,650 3,594 YU162009 985616679-111 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,650 3,594 YU162009 985616679-111 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,650 3,594 YU162009 985616679-111 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 16GA X 48" X 120" 1 1,600 3,726 YU162639 985616679-111 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37 3 806 1804 2.7 170 4.6 52 119 37	ı	200A X 48" Y 190"	1 :		4,450	YU267562	9856-305004 #	208		54	83 (					lis.				- 1		
22G \ X 48" \ X 120" \ 1   1,630   3,534 \ YU161329   958568978-2231   292   629   64   84   188   5.1   41   108   37   6   809   188   2.5   2	ł	20GA X ROT V IDON	1 :		3,490	YU257509	DECEMBER OF	312		56					105	31	1 .			· •		
22G \ X 48" X 120" 1 1,710 3,694 VII61154 9585589719-2222 252 529 54 84 188 5.1 41 108 37 4 899 1418 2.5 24G \ X 48" X 120" 1 1,652 3,642 VII61154 9585588A-2 291 639 55 85 170 4.3 44 108 37 6 809 1418 2.5 24G \ X 48" X 120" 1 1,316 2,945 VII62647 958559789-2 291 639 55 85 170 4.3 44 108 37 6 809 1418 2.5 24G \ X 48" X 120" 1 1,338 2,945 VII62647 958559789-2 291 639 55 85 170 4.3 44 122 37 4 896 1817 2.3 24G \ X 48" X 120" 1 1,338 2,945 VII62647 958559789-2 291 616 54 86 176 1.6 37 144 44 9 801 1821 3.2 11GA \ X 48" X 120" 1 1,658 3,594 VII62009 958515679-112 313 654 53 87 179 4.6 52 119 37 3 808 1804 2.7 16GA \ X 48" X 120" 1 1,650 3,796 VII62009 958515679-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA \ X 48" X 120" 1 1,650 3,796 VII62009 958515679-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA \ X 48" X 120" 1 1,650 3,796 VII62009 958515679-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA \ X 48" X 120" 1 1,650 3,796 VII62009 958515679-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA \ X 48" X 120" 1 1,650 3,796 VII62647 9585609A-12 252 662 56 82 160 4.4 47 119 32 10 804 1804 2.7 16GA \ X 48" X 120" 1 1,716 3,849 VII61911 95856839A-12 294 659 53 85 173 4.8 45 113 36 4 802 1804 2.7 1905 10 804 1804 2.7 1905 10 804 1807 2.5 1905 10 804 18	1	2000 A V 000 X 120	1 '	1,630 [	3.594	VUISING	20302999BA-3		672					-18	114		1 7			3.4	í	
22GA X 48" X 120" 1 1,652 3,562 YU161154 9585838A-2 291 639 55 85 170 4.3 48 122 37 6 869 1818 2.5 24GA X 48" X 120" 1 1,336 2,945 YU267166 958592781-2 291 639 55 85 170 4.3 48 122 37 4 806 1817 2.5 24GA X 48" X 120" 1 1,338 2,945 YU267166 958592781-2 291 639 55 85 170 4.3 48 122 37 4 806 1817 2.5 24GA X 48" X 120" 1 1,338 2,945 YU267166 908592781-2 291 616 54 86 176 1.6 37 144 34 9 801 1821 3.2 24 11GA X 48" X 120" 1 1,636 3,629 YU162009 958616678-111 313 654 54 86 176 1.6 37 144 34 9 801 1821 3.2 24 11GA X 48" X 120" 1 1,630 3,594 YU162009 958616678-111 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1,630 3,594 YU162009 958616678-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1,630 3,726 YU162009 958616678-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1,630 3,726 YU162009 958616678-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 18GA X 48" X 120" 1 1,630 3,726 YU162009 958616678-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 1806 X 48" X 120" 1 1,630 3,726 YU162009 958616678-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 1806 X 48" X 120" 1 1,630 3,726 YU162009 958616678-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 1806 X 48" X 120" 1 1,630 3,726 YU162009 958616678-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 1806 X 48" X 120" 1 1,630 3,726 YU162639 958616678-113 313 654 53 87 179 4.6 52 119 37 3 806 1804 2.7 1806 X 48" X 120" 1 1,630 3,726 YU162639 95861698-12 294 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 1806 X 48" X 120" 1 1,604 3,536 YU162309 9586189A-12 294 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 1806 X 48" X 120" 1 1,604 3,536 YU162639 9586189A-12 294 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 1806 X 48" X 120" 1 1,604 3,536 YU162639 9586189A-12 294 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 1806 X 48" X 120" 1 1,604 3,536 YU162639 9586189A-12 294 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 1806 X 48" X 120" 1 1,604 3,536 YU162639 9586189A-12 294 659 53 85 173 4.8 48 113 36 4 802 1822 2.4 1806 X 48" X 120" 1 1	1	200 X 120		1,630	3 694	VITIGINA	#18101169713-2221/	292					4.3	44			!!				- 1	
24GA X 48" X 120" 1 1,316 2,945 Y1161154 95855386A-2 291 639 55 85 170 4.3 44 128 37 6 889 1818 2.5 24GA X 48" X 120" 1 1,316 2,945 Y1162639 958592781-1 281 616 54 86 170 4.3 49 122 37 4 896 1817 2.3 24GA X 48" X 120" 1 1,338 2,945 Y1162009 958592781-1 281 616 54 86 176 1.6 37 1.44 34 9 801 1821 3.2 11GA X 48" X 120" 1 1,650 3,594 Y1162009 968615678-112 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,650 3,726 Y1162639 968615678-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,650 3,726 Y1162639 968615678-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,650 3,726 Y1162639 968615678-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,650 3,726 Y1162639 968615678-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,650 3,726 Y1162639 968615678-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,650 3,726 Y1162639 968615678-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,650 3,726 Y1162639 968615678-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1,650 3,726 Y1162639 968615678-113 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 170 4.5 52 119 37 3 808 1804 2.7 170 4.0 180 180 180 180 180 180 180 180 180 18	1	220 / Y 48. X 50.	1 1	1.700	3 749	V11140141	FX850697B-2222	202					5.1	41			] [	f 805	1820		1	
24GA X 48" X 120" 1 1,336 2,945 Y11257156 9585927811-1 281 616 55 86 170 4.3 49 122 37 4 896 1807 2.3 24GA X 48" X 120" 1 1,338 2,945 Y11257156 9585927811-1 281 616 55 86 176 1.6 37 144 31 9 801 1821 2.3 304 10.4 2.4 88" X 120" 1 1,636 3,629 Y11257156 958592781-2 291 616 64 86 176 1.6 37 144 31 9 801 1821 3.2 11GA X 48" X 120" 1 1,630 3,594 Y1162009 958615679-111 313 654 53 87 179 4.6 52 119 37 3 806 1806 2.7 18GA X 48" X 120" 1 1,630 3,594 Y1162009 958615679-112 313 654 53 87 179 4.6 52 119 37 3 806 1806 2.7 18GA X 48" X 120" 1 1,630 3,726 Y1162009 958615679-112 313 654 53 87 179 4.6 52 119 37 3 806 1806 2.7 18GA X 48" X 120" 1 1,630 3,726 Y1162009 958615679-112 313 654 53 87 179 4.0 53 119 37 3 806 1806 2.7 18GA X 48" X 120" 1 1,630 3,726 Y1162009 958615679-112 313 654 53 87 179 4.0 53 119 37 3 806 1806 2.7 1804 X 48" X 120" 1 1,630 3,726 Y1162009 958615679-112 313 654 53 87 179 4.0 53 119 37 3 806 1806 2.7 1804 X 48" X 120" 1 1,630 3,726 Y1162009 958615679-112 313 654 53 87 179 4.0 53 119 37 3 806 1806 2.7 1804 X 48" X 120" 1 1,630 3,726 Y1162009 958615694-13 313 654 53 87 179 4.0 53 119 37 3 806 1806 2.7 1804 X 48" X 120" 1 1,630 3,726 Y1162009 958615694-13 313 654 53 87 179 4.0 53 119 37 3 806 1806 2.7 1804 X 48" X 120" 1 1,630 3,726 Y1162009 958615694-13 313 654 53 87 179 4.0 53 119 37 3 806 1806 2.7 1804 X 48" X 120" 1 1,630 3,726 Y1162009 95866094-12 282 662 56 82 160 4.4 4.7 119 32 10 804 1817 2.5 1804 X 48" X 120" 1 1,630 3,536 Y1161311 95856838-12 294 659 53 85 173 4.8 43 113 36 4 802 1817 2.5 1804 X 48" X 120" 1 1,630 3,536 Y1162039 988667478-14 283 685 55 86 174 4.8 49 122 37 11 804 1829 1.6 1804 X 48" X 120" 1 1,538 3,536 Y1162039 988667478-14 288 685 55 86 174 4.8 49 122 37 11 804 1829 1.6 1804 X 48" X 120" 1 1,538 3,536 Y1162039 988667478-14 288 685 55 86 174 4.8 49 122 37 11 804 1829 1.6 1804 X 48" X 120" 1 1,538 3,536 Y1162039 988667478-14 288 685 55 86 174 4.8 49 122 37 11 804 1829 1.6 1804 X 48" X 120" 1 1,538 3,536 Y1162039 988667478-14 288 685 55 86 174 4.8 49 122 37 11 804 1829 1.6 1804 X	1	22UA X 48" X 120"	1 2		3 642	LOTPITON	DOMSSANRA_of	291				188	5.1					1 809		1	1	
24GA X 48" X 120" 1 1.338	ı	24GA X 48" X 120"	1 1		2,042	LO 161 124	BUSINESSES					170					l ii	- 25039		1	1	
24GA X 48" X 120"	ı	24C/v X 48" X 120"	lïl		5930 N	(1)257156	9585927818.1				85	170					4	1986		·	1	
301 NO.4 LASER 11GA X 48" X 96" 1 1.646 3.829 YU162009 9586 5673-111 313 654 53 87 176 1.6 17 144 24 9 881 1821 3.2 11GA X 48" X 120" 1 1.630 3.594 YU162009 9586 5673-112 313 654 53 87 179 4.0 53 119 37 3 808 1806 2.7 16GA X 48" X 120" 1 1.630 3.726 YU162009 9586 5674-13 313 654 53 87 179 4.0 53 119 37 3 808 1806 2.7 16GA X 48" X 120" 1 1.630 3.726 YU162009 9586 5674-13 313 654 53 87 179 4.0 53 119 37 3 808 1806 2.7 16GA X 48" X 120" 1 1.630 3.726 YU162009 9586 5674-13 313 654 53 87 179 4.0 53 119 37 3 808 1806 2.7 16GA X 48" X 120" 1 1.630 3.726 YU162009 9586 5674-13 313 654 53 87 179 4.0 53 119 37 3 808 1806 2.7 16GA X 48" X 120" 1 1.630 3.726 YU162547 958 66094 A-11 252 662 56 82 160 4.4 4.7 119 32 10 804 1804 2.7 1806	1	24CA X 16" X 120"	1 7 1		2,945	(1)257166	9555927833				86									~~,	1	
11GA X 48" X 120" 1 1.630 3.629 Y1162009 988615679-111 318 654 58 87 178 4.6 52 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1.630 3.726 Y1162639 988667478-12 313 654 53 87 179 4.0 53 119 37 3 808 1804 2.7 16GA X 48" X 120" 1 1.690 3.726 Y1162647 98866994A 11 282 662 56 82 160 4.4 47 119 32 806 1804 2.7 22GA X 48" X 120" 1 1.718 3.849 Y1161911 95856898A-12 282 662 56 82 160 4.4 47 119 32 10 804 1807 2.5 24GA X 48" X 120" 1 1.718 3.786 Y1161911 95856898A-12 282 669 569 53 85 173 4.8 45 118 36 4 804 1807 2.5 24GA X 48" X 120" 1 1.694 3.536 Y1162639 988667478-15 298 685 55 86 174 4.8 49 122 37 11 804 1807 2.5 10 988667478-15 298 685 35 86 174 4.8 49 122 37 11 804 1802 1.6 1804 1802 1.6		304 ND 4 LARRE	1 . 1	1913	2,950   }	<sup>(1)</sup> 25715#[	959500760 6			£4	RG					314	.0				1.	
11GA X 48" X 120" 1 1.631 3.696 YU162009 9886 567B-111 313 654 53 87 178 4.6 52 119 37 3 808 860 2.7 16GA X 48" X 120" 1 1.630 3.736 YU162009 9886 567B-113 313 654 53 87 179 4.0 53 119 37 3 808 860 2.7 16GA X 48" X 120" 1 1.690 3.736 YU162009 9886 567B-113 313 654 53 87 179 4.0 53 119 37 3 808 860 2.7 16GA X 48" X 120" 1 1.690 3.736 YU162647 98866094A-11 282 662 56 82 160 4.4 47 119 32 10 806 1804 2.7 170 170 170 170 170 170 170 170 170 17		IIGA Y en V out	l. í	J		ſ	04(E92(B924)	381	(ilu	54	98				1-1-1	34					1	
11GA X 48" X 120"		HCA V 410 V STOR	1 4 (		3,629 Y	Titesone !	Augment a service and	- 1	- 1	(		674	1.6	77 /	144 (	214				1.2	ſ	
16GA X 48" X 120" 1 1,69B 3,726 YU162089 96861 6670-113 313 664 53 87 170 4.0 52 119 37 3 808 806 2.7 16GA X 48" X 120" 1 1,69B 3,726 YU162647 98866094A 11 282 662 56 82 160 4.1 47 119 32 10 804 1804 2.7 22GA X 48" X 120" 1 1,748 3,849 YU161311 95856839A-12 282 662 56 82 160 4.1 47 119 32 10 804 1804 2.7 24GA X 48" X 120" 1 1,004 3,536 YU16239 988667478-15 298 685 55 86 173 4.8 45 118 36 4 802 1822 2.1 10 FMAL: 25 39.380 86.820		1104 W 10 X 120"	, , ,	1.631	3.596 V	11184000	S1920   D(5A)3-1 1 [ ]	31:4	654	5×	Jr. 1	44	1	- 1	- 1	·"' 1	स	i Pari	1821	3.2	l l	
1 1,690 3,726 VU162547 9886094A-11 252 662 56 82 160 4.4 47 119 32 10 804 1817 2.5 24GA X 48" X 120" 1 1,690 3,726 VU162547 9886094A-12 282 662 56 82 160 4.4 47 119 32 10 804 1817 2.5 24GA X 48" X 120" 1 1,718 3,786 VU162547 9886094A-12 282 662 56 82 160 4.4 47 119 32 10 804 1817 2.5 24GA X 48" X 120" 1 1,718 3,786 VU161311 95856838A-12 294 659 53 85 173 4.8 43 118 36 4 804 1817 2.5 24GA X 48" X 120" 1 1,694 3,536 VU162639 988607478-13 298 685 55 86 174 4.8 49 122 37 14 802 1822 2.1 10 10 10 10 10 10 10 10 10 10 10 10 10		210M X 48" X 120"	1 1	1.630	3 504 2	7/1/2000	268915678-112	313					4.6	52	110			l	ŀ		i	
161.0   2.7   2.5   2.6   2.7   2.7   2.5   2.7   2.		19GA X 48" X 120"	} [	1.690	3700 3	11030031	968615678-119	212					4.8					#UR	1804	1 27	ł	
22GA X 48" X 120" 1 1,748 3,849 Y1162547 BSIS6694A-12 282 632 56 32 160 4.4 47 119 32 10 804 1817 2.5 22GA X 48" X 120" 1 1,748 3,786 Y1161311 95856839A-12 294 659 53 85 173 4.8 43 113 36 4 802 1817 2.5 24GA X 48" X 120" 1 1,694 3,536 Y1162639 95856839A-13 294 659 53 85 173 4.8 43 113 36 4 802 1817 2.5 24GA X 48" X 120" 1 1,598 3,523 Y1162639 988667478-14 298 685 55 86 174 4.8 43 122 27 11 804 1817 2.5 25 39,330 86,820		16GA X 48" X [20" [	1			0183047	98866094A 11					1711						406	Dana		ł	
22GA X 48" X 120" 1 1,718 3,788 Y U161311 95856838A-12 994 659 53 85 173 4.8 43 118 36 4 802 182 24GA X 48" X 120" 1 1,598 3,536 Y U162639 988667479-14 248 685 55 86 174 4.8 49 122 37 11 804 1822 2.4 10 16 16 16 16 16 16 16 16 16 16 16 16 16		22CiA X 48° X 96° 1			0,420 7	U162547)	96566094A-12										- 31	aun			1	
24OA X 48" X 98" 1 1,004 3,536 YU161311 95856839A 13 294 659 53 85 173 4.8 45 113 36 4 802 7822 2.1 1598 3,523 YU162639 988667476-15 298 685 55 85 174 4.8 49 122 37 11 804 1822 2.4 1707AL: 25 39.310 86.820	7	22GA X 48" X 120"	· 7		3,849 9	U161911		[			32						tu I				1	
24GA X 48" X 120" 1 1,598 3,536 YU1G2639 9886G747B-15 298 685 55 85 174 4.8 49 122 37 11 804 1822 2.4 170 TAL: 25 39,310 86,820 9886G747B-14 208 685 55 86 174 4.8 49 122 37 11 804 1822 2.4		240A X 48" Y 09"	1 1		3,786 Y	U161311	958554904	:		53		: 3	1			32					ļ	
TOTAL: 25 39.380 86.620 988867473-14 248 685 55 86 174 4.8 49 122 37 11 804 1400 1.6	4	464 Y 491 Y 1001	- : 1		3,536 Y	U162630 1/			659	53					13	36				2.5	ľ	
TOTAL: 25 39.300 86.620 988867473-14 298 085 05 08 174 4.8 49 122 37 11 804 122 16 16 16 16 174 4.8 49 122 37 11 804 122 16 16	•	40 X 150-	, ,	1,598	3.328 VI	11cheury	20000141R-12	298						48 / 2			7.7		7822	2.4		
101AL: 25 39.380 B6.620 16 174 4.8 49 122 17 11 804 1400 1.6	*	(39)		,	,	****	38886747f3-14				' 1 '		4.8 [ .				2.1		1822			
Remails, No. 18 Property of the Control of the Cont				39,380	RIL DOD			· · · /	~~~	V# ]	416 ( )	74 /						604	1020			
GHEREBY CORTPY THAT THE MATERIAL DECEMBER BOTH BOTH BOTH BOTH BOTH BOTH BOTH BOTH			Un Lienz	W. C. A	~ <del></del>								- 1	·~ / '		37	11	804				
	TEMERESY CORTPY THAT THE MATERIAL DESCRIPTION Bend testing for not bear and																					

BEEN MADE IN ACCORDANCE WITH THE RULES OF THE MILL CERTIFICATE.

VIEW MAUCORP.